

# WAVERLEY'S PEOPLE, MOVEMENT AND PLACES

*Where We Go and How We Get There*

## STRATEGY REPORT

FOR  
WAVERLEY COUNCIL

**BITZIOS**  
consulting

In association with:

**UTS:ISF**  
INSTITUTE FOR SUSTAINABLE INFRASTRUCTURE  
FACILITIES

### Gold Coast

Suite 26, 58 Riverwalk Avenue  
Robina QLD 4226  
P: (07) 5562 5377

W: [www.bitziosconsulting.com.au](http://www.bitziosconsulting.com.au)

### Brisbane

Level 2, 428 Upper Edward Street  
Spring Hill QLD 4000  
P: (07) 3831 4442

E: [admin@bitziosconsulting.com.au](mailto:admin@bitziosconsulting.com.au)

### Sydney

Studio 203, 3 Gladstone Street  
Newtown NSW 2042  
P: (02) 9557 6202

Project No: P2336

Version No: 012

Issue date: 11<sup>th</sup> April 2017

## DOCUMENT CONTROL SHEET

### Issue History

Report File Name	Prepared by	Reviewed by	Issued by	Date	Issued to
P2336.001 People Movement Places Strategy Report	B. James / Michelle Ziebots	D. Bitzios	D. Bitzios	16/06/2016	Sara.Stace@waverley.nsw.gov.au
P2336.002 People Movement Places Strategy Report	B. James / Michelle Ziebots	D. Bitzios	D. Bitzios	22/07/2016	Sara.Stace@waverley.nsw.gov.au
P2336.003 People Movement Places Strategy Report	B. James / Michelle Ziebots	D. Bitzios	D. Bitzios	28/09/2016	Peter.Monks@waverley.nsw.gov.au
P2336.004 People Movement Places Strategy Report	B. James	D. Bitzios	D. Bitzios	02/11/2016	Peter.Monks@waverley.nsw.gov.au
P2336.005 People Movement Places Strategy Report	B. James	D. Bitzios	D. Bitzios	11/11/2016	Sara.Stace@waverley.nsw.gov.au
P2336.006 People Movement Places Strategy Report	B. James	D. Bitzios	D. Bitzios	16/11/2016	Sara.Stace@waverley.nsw.gov.au
P2336.007 People Movement Places Strategy Report	B. James	D. Bitzios	D. Bitzios	08/12/2016	Sara.Stace@waverley.nsw.gov.au
P2336.008 People Movement Places Strategy Report	B. James	D. Bitzios	D. Bitzios	18/1/2017	Sara.Stace@waverley.nsw.gov.au
P2336.009 People Movement Places Strategy Report	B. James	D. Bitzios	D. Bitzios	10/02/2017	Sara.Stace@waverley.nsw.gov.au
P2336.010 People Movement Places Strategy Report	B. James	D. Bitzios	D. Bitzios	06/03/2017	Sara.Stace@waverley.nsw.gov.au
P2336.011 People Movement Places Strategy Report	B. James	D. Bitzios	D. Bitzios	27/03/2017	Sara.Stace@waverley.nsw.gov.au
P2336.012 People Movement Places Strategy Report	B. James	D. Bitzios	D. Bitzios	11/04/2017	Sara.Stace@waverley.nsw.gov.au

Copyright in the information and data in this document is the property of Bitzios Consulting. This document and its information and data is for the use of the authorised recipient and this document may not be used, copied or reproduced in whole or in part for any purpose other than for which it was supplied by Bitzios Consulting. Bitzios Consulting makes no representation, undertakes no duty and accepts no responsibility to any third party who may use or rely upon this document or its information and data.

# Contents

<b>EXECUTIVE SUMMARY .....</b>	<b>III</b>
<b>1. INTRODUCTION .....</b>	<b>1</b>
1.1 THE NEED FOR THIS STUDY	1
1.2 PURPOSE OF THIS REPORT	2
1.3 STUDY PROCESS	3
1.4 STRATEGY FRAMEWORK	3
<b>2. CENTRE AND TRANSPORT SYSTEM HIERARCHIES .....</b>	<b>4</b>
2.1 TfNSW PLANNING GUIDELINES	4
2.2 SYSTEM STRUCTURE	4
2.2.1 Broader Network Structure	4
2.2.2 Public Transport Services Map	5
2.2.3 Key Centres	6
2.2.4 Local Network Structure	6
<b>3. WHAT ARE THE ISSUES AND WHY? .....</b>	<b>7</b>
3.1 LGA-WIDE ISSUES	7
3.2 CENTRE AND CORRIDOR-SPECIFIC ISSUES	7
3.3 CAR OWNERSHIP TRENDS	8
3.4 OTHER LOCALISED ISSUES	9
3.5 EMERGING CHALLENGES	9
<b>4. WHAT IS OUR POLICY POSITION? .....</b>	<b>11</b>
4.1 PLANNING CONTEXT (WHAT WE NEED TO WORK WITHIN)	11
4.2 TRAFFIC AND TRANSPORT IMPROVEMENT POLICY AND REASONING	12
4.3 KEY GOALS	13
4.4 BONDI ROAD INTERIM ACCESS STRATEGY	13
4.5 PARKING RATES FOR NEW DEVELOPMENT	13
4.6 PARKING FEES AS A TRANSPORT FUNDING SOURCE	15
<b>5. SIGNATURE PROJECTS .....</b>	<b>16</b>
5.1 BONDI JUNCTION TRANSPORT INTERCHANGE	17
5.2 BONDI ROAD CORRIDOR PUBLIC TRANSPORT PRIORITY	18
5.3 BONDI ROAD – LANEWAYS, LAND USE AND PARKING STRATEGY	19
5.4 LGA WIDE WALKING STRATEGY	20
5.5 BUS PRIORITY – OLD SOUTH HEAD ROAD AND BRONTE ROAD	21

5.6 BICYCLE SHARE SCHEME WITH "E-BIKES"	22
5.7 DYNAMIC PARKING MANAGEMENT SYSTEM	23
5.8 BONDI JUNCTION CENTRE	24
5.9 BONDI BEACHFRONT AREA	25
5.10 CHARING CROSS VILLAGE	26
5.11 CYCLING SUPERHIGHWAYS	27
5.12 SCHOOLS ACTIVE TRANSPORT STRATEGY	28
<b>6. STRATEGIES AND ACTIONS FOR THE WHOLE LGA .....</b>	<b>29</b>
6.1 ACTION PLAN SUMMARY	31
<b>7. DETAILED ACTION PLANS .....</b>	<b>39</b>
7.1 BONDI JUNCTION	40
7.2 BONDI BEACH	45
7.3 BONDI ROAD CORRIDOR	49
7.4 CHARING CROSS	53
<b>8. IMPLEMENTATION .....</b>	<b>56</b>
8.1 TIMING CATEGORIES	56
8.2 SIGNATURE PROJECTS	57
8.3 WAVERLEY LGA ACTIONS	58
8.4 CENTRE-SPECIFIC ACTIONS	62
8.5 WHERE TO FROM HERE	67
<b>9. KEY PRIORITIES .....</b>	<b>68</b>
9.1 SIGNATURE PROJECTS	68
9.2 SUMMARY OF SHORT TERM ACTIONS	68

## Tables

Table 4.1:	Overarching Strategy Influences
Table 8.1:	Signature Projects Implementation Timing
Table 8.2:	Whole of LGA Actions Implementation Timing
Table 8.3:	Detailed Actions Implementation Timing
Table 9.1:	Key Signature Projects
Table 9.2:	Key Short Term Actions Summary

## Figures

Figure 1.1:	Study Area
Figure 1.2:	Strategy Framework
Figure 2.1:	Waverley Activity Centre and Transport Corridor Structure
Figure 2.2:	Bus Routes
Figure 2.3:	Waverley Activity Centres and Public Transport Network Structure
Figure 3.1:	Waverley LGA Car Ownership by Suburb
Figure 3.2:	Average Household Car Ownership Trends by Selected Suburb
Figure 3.3:	Number of Registered Vehicles in Waverley LGA
Figure 4.1:	Waverley Parking Zones
Figure 6.1:	Whole of LGA Actions Summary Map
Figure 7.1:	Centre Zone Strategies - Location Map
Figure 7.2:	Bondi Junction Actions Map
Figure 7.3:	Bondi Beach Actions Map
Figure 7.4:	Bondi Road Corridor Actions Map
Figure 7.5:	Charing Cross Actions Map



## EXECUTIVE SUMMARY

### Context

Waverley Council has aspirations for its transport systems (walking, cycling, public transport, and motor vehicles) to be more accessible, efficient, effective, safe, connected and sustainable; to deliver travel and environmental benefits more equitably for all sectors of the community; and to meet Council's long term goals and targets for transport and emissions.

This Strategy Paper, as part of "Waverley's People, Movement and Places: a study on where we go and how we get there" provides recommendations and guidance on how Council can enable people to move within and between the key places that they want to visit. It recommends key priorities and actions that Council can adopt and implement, in order to achieve its aspirations.

As background to this work, an "Issues Report" was prepared, which identified relevant state and local government planning frameworks, researched demographic and travel pattern trends and described the structure and function of transport networks. With input from a community intercept survey conducted as part of the study, the Issues Report synthesised the transport challenges facing the Waverley LGA into the future. A sketch planning transport model was also produced for the study.

The Issues Report found that the Waverley LGA has a complex mix of transport demands that include geographical challenges coupled with legacy issues associated with how its land use and transport networks, particularly its road network and on street parking, have evolved.

This Strategy Report provides an overall framework for how Council will achieve its transport goals and objectives. It identifies the priorities for action and describes how these actions will be implemented through signature projects and an implementation plan.

### Key Traffic and Transport Issues

Waverley LGA residents are highly active and mobile, making frequent trips (4.9 trips per weekday compared to the Greater Sydney average of 3.7 trips per weekday); that are short distance (11.0 vehicle kilometres travelled per day compared to 17.2 kilometres for Greater Sydney); and for more social/recreation purposes (31% compared to 25% for Greater Sydney). With a walking mode share of 32%, it is clear that multiple short trips in and around centres are popular. Public transport mode-share at 12% is less than expected for an area with the level of density of Bondi Junction and Bondi Beach, reflecting the long travel times to access major public transport services including by bus. This trend will continue unless bus travel times in key corridors can be made faster than travel times by car.

Key traffic and transport issues facing the Waverley LGA (from the Issues Report) include:

- Topographic constraints and lack of infrastructure limit walking and cycling options for short distance trips. In spite of this, walking is far more popular in the Waverley LGA than it is on average across the Sydney Metropolitan Area.
- An ageing population, including older families with teenagers and more elderly households by 2036 placing changing pressures on the transport system.
- Many local bus services are limited in their effectiveness (both travel speed and capacity) by traffic congestion, high passenger loads, bus stop congestion with extended stopping times and minimal bus priority measures.
- Unreliable public transport leads to lack of perceived alternative choice and more use of private cars.
- A challenge to "shape" future travel demand through higher-density mixed-use development within key activity centres and along public transport corridors; improved conditions for walking and cycling; and improved reliability of, and access to, public transport services.
- Kerbside road space is used predominantly for car parking (e.g. residential permit parking, time-limited parking, or metered parking) introducing an opportunity cost associated with higher and better uses (e.g. bus priority, separated bicycle lanes, wider footpaths, seating, vegetation).
- Insufficient local street connectivity (including turning bans and one-way schemes) has led to the concentration of road traffic on a few key routes, creating pinch points at key intersections.

- High parking demand in and near centres compared to parking supply, particularly on-street, has created high volumes of circulation-related traffic exacerbating local congestion.
- Poor connectivity of road traffic and bus routes limits accessibility between northern and southern districts of the LGA, forcing traffic and buses through the most congested areas near Bondi Junction.
- Established neighbourhoods, topographical constraints and high land values limit the potential for new or widened transport corridors.



## Policy Positions

Congestion is a natural consequence of the successful evolution of cities and it is the degree of congestion, both traffic and parking, that is often the most contentious issue. The Waverley LGA is in a situation where additional roads or wider roads are simply not practical.

A more sustainable policy position is to provide a more realistic choice of modes to use to satisfy travel needs.

To achieve this policy position, the Waverley LGA needs more competitive public transport, better access to all transport networks, more direct connections and greater equity in accessing parking opportunities. Also, local centres must be better connected while movement within centres is prioritised on the basis of people movement.

In essence greater transport choice can be provided by:

- Priority for pedestrians and people riding bicycles within key centres to support the movement of more people.
- More travel time-competitive public transport options (higher travel speeds and capacities on key routes).
- Planning and redevelopment that increases mixed use and density along major public transport corridors.
- More direct connections along key desire lines where current permeability is poor.
- Better network connectivity and interchanging across all transport modes where discontinuities occur, reducing over reliance on a single transport mode.
- Greater equity and options for accessing limited parking resources.

Transport planning in the Waverley LGA aims to prioritise transport modes in the following order: *pedestrians, bicycles, buses, service vehicles, and then private motor vehicles*. Adopting this hierarchy is essential to achieving the aspirations of the community to create a safer, more equitable and liveable environment.

A key policy context is Waverley Together 3: our community's strategic plan for 2013-2025 and the Environmental Action Plan 3 2012-2020, which includes targets for the year 2020 such as the distance travelled by private car declines by 15% on 2006 levels (from 11km/day to 9.35km/day per resident) and 40% of total daily distance travelled by residents is by public transport, walking or cycling (from 25% in 2006). Other strategies articulated in the community strategic plan included to 'create vibrant public places' and to 'create vibrant

and accessible public spaces through high quality urban design and place making principles'

To achieve this policy position, the Waverley LGA needs more competitive public transport, better access to all transport networks, more direct connections and greater equity in accessing transport options. Also, local centres must be better connected while movement within centres should be prioritised on the basis of people movement.

## Key Priorities

While this strategy outlines many actions and strategies for improving the Waverley transport network it is important to prioritise those that offer a high cost benefit, as well as balancing priorities across all modes to have the greatest short term benefit to the LGA.

The Top 4 signature projects that represent new policy and will have high benefit to the community include:

- **Bondi Junction Transport Interchange Upgrade** - *Undertake a master plan for the redevelopment of Bondi Junction rail/bus interchange; and Investigate integrating improvements with existing and planned Bondi Junction works;*
- **Bus Priority Corridor and Bondi Road** - *Develop a concept plan of a long term bus priority measures plan and land requirements as reallocation occurs; and Develop a concept plan of short term bus priority measures that don't require land but are consistent with the long term concept; Further assessment and design to create a long term corridor master plan and incorporate into local development control instruments;*
- **Cycling Superhighways and Share Scheme with E-Bikes** - *Undertake a market sounding project and then develop a business case for an E-bike scheme (Bondi Beach to Bondi Junction); and*
- **Dynamic Parking Management – Bondi Beach** - *Undertake a pre-feasibility and market sounding project and then a business case for a dynamic parking scheme in Bondi Beach.*

The actions and strategies in Table 8.2 and Table 8.3 have been combined in Table 9.2 to summarise the key Short Term actions and projects from this Strategy Report. It is considered that each project:

- will have a positive impact on Waverley's Transport network;
- has the ability to start within the short term; and
- provides high value for money.

The priority projects that have been chosen encompass improvements across all travel modes and areas in Waverley. Refer to Chapter 9 for more detail.



## Signature Projects

Twelve signature projects have been identified to respond to the identified issues and challenges, as summarised below.

### Signature Projects - Benefits by Mode

		Key Benefits ✓✓✓ Very significant benefit ✓✓ Major benefit ✓ Some benefit	walking	public space	bicycles	buses	service vehicles	cars	parking
1	Bondi Junction Transport Interchange		✓✓✓		✓✓	✓✓✓			✓
2	Bondi Road Corridor - Public Transport Priority*		✓✓	✓✓	✓	✓✓✓			
3	Bondi Road Corridor – Laneways, Land Use and Parking Strategy		✓✓	✓✓	✓✓	✓✓	✓✓		✓✓
4	LGA Wide Walking Strategy		✓✓✓	✓✓✓	✓✓	✓✓			
5	Bus Priority – Old South Head Road and Bronte Road		✓✓	✓✓	✓	✓✓✓			
6	Bicycle Share Scheme with "E-Bikes"		✓		✓✓✓	✓		✓	✓
7	Dynamic Parking Management System		✓	✓		✓✓		✓✓	✓✓✓
8	Bondi Junction Centre		✓✓	✓✓	✓✓	✓✓	✓		✓✓
9	Bondi Beachfront Area		✓✓	✓✓	✓✓	✓✓			✓✓✓
10	Charing Cross Village		✓✓	✓✓	✓✓	✓✓			
11	Cycling Superhighways		✓		✓✓✓	✓		✓	✓
12	Schools Active Transport Strategy		✓✓✓		✓✓	✓✓		✓✓	✓

\* Associated with a parallel study investigating public transport feasibility along the Bondi Road corridor

The signature projects provide the actions that are expected to make the most significant difference to providing reasonable multi-modal transport choice and access equity for residents, employees and visitors of the Waverley LGA.





## Implementation Plan

This report recommends 126 actions that Council could undertake. An implementation plan is detailed in Section 8 which categorises the actions into Short Term (1-2 years), Medium Term (3-5 years) and Long Term (6+ years).

The number of actions by "Location" and by "Mode/Type" are summarised below.

### Number of traffic and transport actions by location and type

	A: Walking	B: Cycling.	C: Public transport	D: Service vehicles. (Whole of LGA only)	D: Private vehicle traffic network. (Labelled E for Whole of LGA)	E: Off-street parking. (Labelled F for Whole of LGA)	F: On-street parking (Labelled G for Whole of LGA)	Total
Strategy location 1: "Whole of LGA".	11	8	12	2	6	5	6	50
Strategy location 2: Bondi Junction.	7	7	5	-	3	3	1	26
Strategy location 3: Bondi Beach.	8	3	6	-	2	2	3	24
Strategy location 4: Bondi Road corridor.	2	3	3	-	3	2	2	15
Strategy location 5: Charing Cross.	1	2	1	-	4	1	2	11
<b>Total</b>	<b>29</b>	<b>23</b>	<b>27</b>	<b>2</b>	<b>18</b>	<b>13</b>	<b>14</b>	<b>126</b>

This strategy is intended to provide a "blueprint" for Waverley Council to initiate more detailed design and feasibility studies and to initiate works to provide more effective transport choice to its residents, employees and visitors. It is recommended that the action plans provided in this report be monitored and reported against annually and updated every 3 years, to ensure that initiatives remain relevant in a rapidly evolving transport system.

## 1. INTRODUCTION

### 1.1 THE NEED FOR THIS STUDY

The Waverley Local Government Area (LGA) is unique when considering its complex transport demands, its land use structure, its geography and its topography. Parking congestion and traffic congestion have been raised by Council as key issues that need to be addressed using the actions recommended by this study.

In addition, Waverley Council (Council) has identified the following aspirations for the transport system:

- *for the transport of people and goods into, out of, and throughout the LGA to become more accessible, efficient, effective, safe, connected and sustainable;*
- *to deliver travel and environmental benefits more equitably to meet the needs of all sectors of the Waverley community; and*
- *to meet Council's goals and targets for transport and emissions.*

Council has also identified the following key outcome areas for the study:

- *enable all Waverley residents and visitors to access places more easily on foot, bicycle and public transport;*
- *manage vehicular access and traffic flows more efficiently and effectively on the road network, including state roads and traffic lights where RMS has authority;*
- *establish a clear policy direction for parking supply on private and public land in response to rising demand and anticipated development pressures, particularly in Waverley's key activity centres; and*
- *improve public transport capacity and accessibility through the LGA by helping to remove constraints within key corridors and interchanges and extending local coverage by state or community transport services.*

Past transport strategies undertaken for Council have aimed at reducing private vehicle usage by targeting reducing trip lengths and lowering the proportion of trips by private vehicle whilst increasing public and active transport usage. Whilst these targets and their associated strategies have been entirely appropriate and consistent with contemporary transport planning approaches, the specific actions needed to achieve these changes have been limited in terms of detail or their ability to actually be implemented.

What the Waverley LGA needs is specific, tangible actions that can be implemented to better manage the effects of excessive traffic and parking demand to the betterment of local residents and businesses.

This study aims to understand the underlying transport needs of **people** living in, working in or visiting the Waverley LGA, what their motivations for **movement** are and what specific **places** they need to travel to and when. By understanding *where people go and how they get there*, and within a framework of improving environmental sustainability and liveability, this study draws on international best practice and adapts it to the context of the Waverley LGA to recommend works and programmes for Council to prioritise.

The Waverley LGA area the subject of this study is shown in Figure 1.1.





Figure 1.1: Study Area

## 1.2 PURPOSE OF THIS REPORT

This report follows on from the Issues Report which documented all of the current and future traffic and transport issues categorised under “entire LGA”, “corridor/centre” and “localised issue”.

This report summarises the issues from the first report and then puts forward the transport policy position for balancing current capacity issues with long terms transport sustainability needs. This policy position is then related into a series of “goals” which provide the basis for developing the strategies to respond to the identified issues.

A number of specific signature projects have been identified to address the identified issues whilst aligning with the adopted policy position and goals.

Other strategies that have not been investigated or presented in as much detail as yet are then listed, categorised by their geographic application as follows:

- Tier 1: Applicable to the entire LGA;
- Tier 2: Applicable to a specific centre; and
- Tier 3: Applicable to a specific location (e.g. a single intersection).

These three tiers correspond with key centres defined in the Waverley Development Control Plan DCP 2012 Part E (see section 2.2.3 of this report).

It is important to highlight that many of the strategies and actions recommended in this report have not been analysed in detail and that further, more detailed investigations will be needed for some actions prior to their implementation.

The actions derived from each of the strategies have been consolidated into a recommended implementation plan for Council's consideration.

### 1.3 STUDY PROCESS

This study has been run in two discrete phases, as follows:

- **Phase 1, Issues Identification:** involving the identification of relevant state and local government planning frameworks, research of demographic and travel pattern trends of Waverley residents, employees and visitors, understanding the structure and function of transport networks and identify LGA-wide and localised issues; and
- **Phase 2, Strategy Development and Actions:** involving the identification of strategies to address the issues raised in Phase 1 and the specific actions that follow from the strategies. This phase also details the recommended implementation plan for Council to take forward.

An Issues Identification report has previously been prepared and the key issues identified are summarised in Chapter 3

### 1.4 STRATEGY FRAMEWORK

An overarching strategy framework has been used as a means of communicating the study's process as well as ensuring that the actions recommended are consistent with the common goals and priorities defined. The strategy framework is presented in Figure 1.2.

The framework has been used to assess the challenges facing the Waverley LGA and develop the strategies and actions that align with common goals aiming to be achieved.




Figure 1.2: Strategy Framework



## 2. CENTRE AND TRANSPORT SYSTEM HIERARCHIES

### 2.1 TfNSW PLANNING GUIDELINES

Transport for NSW (TfNSW) recommends an approach to the strategic development of transport networks and services that firstly identifies a hierarchy of activity centres and then defines the key transport corridors that connect the centres to each other as well as to their surrounding catchment areas. This process facilitates the identification of the strategic requirements for transport corridors based on “activity centre function, productivity and capacity” (*TfNSW 2013, Integrated Public Transport Service Planning Guidelines: Sydney Metropolitan Area. NSW Government, Sydney*).

A similar approach can be applied at the LGA-level to identify local activity centres and catchment areas that feed the primary centres as well as identifying the key transport corridors at the metropolitan level that influence the LGA. This process enables local strategic transport plans to compliment metropolitan plans.

### 2.2 SYSTEM STRUCTURE

#### 2.2.1 Broader Network Structure

Figure 2.1 shows the current road system structure in and surrounding the Waverley LGA in relation to activity centres within the LGA as well as higher order centres surrounding Waverley LGA. This structure is also very similar to the public transport system structure given that buses also run on these connections.

The structure of the Waverley LGA can be described at two levels:

- arterial corridors for moving between destinations within the Waverley LGA and centres in other parts of the Sydney metropolitan area; and
- local connections that provide access primarily for local residents moving between local centres and catchment areas within the LGA.

Within the broader structure of the Sydney Metropolitan Area, Waverley's network is dominated by the radial nature of the Sydney transport system directed towards the Sydney CBD, with few significant cross-regional transport links connecting centres at the northern and southern ends of the LGA.




Figure 2.1: Waverley Activity Centre and Transport Corridor Structure

Links from centres within the Waverley LGA to key activity and employment centres to the south in Randwick have an important role to play in the structure of the transport system, however these cross-regional connections have a relatively poor structure, making north-south access difficult.

## 2.2.2 Public Transport Services Map

When examining public transport services, similar structural features and challenges occur. There is a dense network of bus service routes that serve the Waverley and surrounding LGAs as shown in Figure 2.2.



Figure 2.2: Bus Routes

When routes with service operating between 7am and 10pm at frequencies of 20 minutes or better are shown, the network density is significantly reduced. This is significant because routes with these service levels are viable for multiple-trip types throughout the day and not just for commuting. As with the road network, radial routes dominate the network with few cross-regional options.




Figure 2.3: Waverley Activity Centres and Public Transport Network Structure

Significantly, there are few viable services connecting local residential catchment areas in a way that feeds key town and local village centres. This partly explains why there are such problems with heavy private motor vehicle congestion and parking within the Waverley LGA. Local public transport does not provide late evening services in many cases that enable people to work late, go out for dinner or evening leisure activities and still use public transport to get home. Services through the middle of the day allow for business trips, school travel, personal trips and leisure travel.

### 2.2.3 Key Centres

The Waverley Development Control Plan DCP 2012, Part E, defines the key centres as:

- Bondi Junction;
- Bondi Beachfront Area;
- Local Village Centres: Hall Street Bondi (town centre), Bondi Road (village), Charing Cross (small village) and Rose Bay (small village); and
- Neighbourhood Centres: Glenayr Avenue, North Bondi, Blake Street, Murrivier Road, Murray Street Bronte, Bronte Beach, Macpherson Street Bronte and Old South Head Road.

### 2.2.4 Local Network Structure

The local Waverley area has a higher mode share of walking (29%), cycling (5%) and public transport (15%) compared to the Greater Sydney region average (17%, 2%, 12% respectively). As a result, only half of all trips within Waverley LGA are by car, compared to 70% for the Greater Sydney region.

However, there is further capacity to further reduce reliance on cars for short trips, by improving local walking and cycling networks, and improving the reliability of bus services.

The Waverley LGA is dominated by Bondi Junction and its economic and social links with the Sydney CBD to the west and Bondi Beach to the east are very important. Bondi Junction is a primary activity centre that acts as both a key destination for many trips within and into the Waverley LGA, but also as a key

interchange point for people travelling by public transport to key centres like the Sydney CBD and to destinations beyond.

The road network is dominated (generally) by east-west links that focus on Bondi Junction, radiating out to a series of beachside centres where recreational and small-scale local facilities are located, creating corridors with high traffic volumes that often experience heavy congestion.

Strategically, Waverley relies on a small number of key routes to serve a diversity of destinations within the dense fabric of its eastern districts. The network has a fragmented grid structure with few arterial roads which “consolidate” traffic and generate high levels of congestion. This creates challenges and opportunities for the movement of people between places within the Waverley LGA.

The network's performance for people using both private cars and public transport services along east-west corridors is often poor, especially during weekday peak periods and at mid-day on weekends. Congestion is high and travel speeds are slow. Also, large volumes of road traffic impede public transport services, making them less viable. Bus service frequencies and capacities often struggle to cope with demand, placing greater pressure on the road network and private transport.

The relatively high densities of neighbourhoods could be seen to exacerbate congestion on key transport corridors. However, these densities put many people within easy walking distance of local centres, creating the potential opportunity for greater use of low impact active transport modes (walking and riding bicycles) to access local services reducing pressure on parking resources and road space.





### 3. WHAT ARE THE ISSUES AND WHY?

This section provides a summary of current and emerging traffic and transport issues. A more comprehensive discussion is provided in the *Waverley People, Movement and Places Issues Report*.

#### 3.1 LGA-WIDE ISSUES

Key traffic and transport issues facing the Waverley LGA include:

- topographic constraints and lack of infrastructure limit walking and cycling options for short distance trips;
- an ageing population, including older families with teenagers and more elderly households by 2036;
- many local bus services are limited in their effectiveness (travel speed and capacity) by traffic congestion, high passenger loads, bus stop congestion with extended stopping times and minimal bus priority measures;
- unreliable public transport leads to more use of private cars;
- the existing street grid and topography of Waverley will not change significantly in the future. While this sets the scene for future travel demand, there are further measures that can be undertaken to shape this such as:
  - higher-density mixed-use development within key activity centres and along public transport corridors;
  - improved conditions for walking and cycling; and
  - improved reliability of, and access to, public transport services;
- kerbside road space is used predominantly for car parking (e.g. residential permit parking, time-limited parking, or metered parking). There may be higher and better uses (e.g. bus priority, separated bicycle lanes, wider footpaths, seating, vegetation) which need to be considered;
- insufficient local street connectivity (including turning bans and one-way schemes) has led to the concentration of road traffic on a few key routes, creating pinch points at key intersections;
- high parking demand in and near centres compared to supply, particularly on-street, has created high volumes of circulation-related traffic exacerbating local congestion;

- poor connectivity of road traffic and bus routes limits accessibility between northern and southern districts of the LGA, forcing traffic and buses through the most congested areas near Bondi Junction;
- established neighbourhoods and high land values limit the potential for new or widened transport corridors;
- across most of Waverley (with the exception of Dover Heights) the number of cars per household is much less than the Greater Sydney average, and has not increased in the past fifteen years. This suggests that long-term car parking policies of Waverley Council have been successful in limiting the growth in car ownership; and
- some traffic intersections have reached saturation point, where it is difficult to increase the number of vehicles flowing through the intersection. This further demonstrates that shifting to other modes of transport is required.

#### 3.2 CENTRE AND CORRIDOR-SPECIFIC ISSUES

Key traffic/transport issues in key centres and along primary corridors include:

- **Bondi Junction** - forced circulation of traffic through centre streets with turning bans and one-way systems, key intersection pinch points, insufficient bus priority, transport interchange efficiency issues, lack of pedestrian and bicycle priority, poor connectivity and conflicts between pedestrian traffic, people riding bicycles and vehicles around the station;
- **Bondi Junction to Bondi Beach Corridor** - on-street parking capacity and turbulence-related traffic congestion, bus stops and sides streets impacting through capacity, key pinch points at key pinch points at Denham Street, Wellington/Watson Street and Council Street, reliance on the corridor as part of north-south connectivity conflicting with primary east-west movement, limited pedestrian crossing points but activities on both sides, limited options for safe/convenient cycling for vulnerable bicycle riders and an absence of bus priority;
- **Bondi Beach** - high parking demand creates circulating traffic congestion, north-south local traffic permeability is limited and Campbell Parade used for circulation, limited off street parking for visitors, insufficient on street parking capacity. Campbell Parade has too many functions with buses, high pedestrian crossing demands, circulating and turning traffic. Event management is critical;



- **Northern Corridor and Centres** - limited trunk bus route coverage and limited bus priority, difficult to enter/exit Old South Head Road from local streets due to congestion, on-street parking contributes to congestion, lack of sufficient/supporting parallel north-south network, cycling demand affected by topography; and
- **Southern Corridor and Centres** - cluster of Schools with peak parking and traffic issues, convoluted one-way street systems and limited permeability through residential street networks creating pinch points at key intersections and the absence of bus priority measures. Major roads converge on Bondi Junction and Charing Cross a key pinch point.


### 3.3 CAR OWNERSHIP TRENDS

Figure 3.1 shows the number of cars owned by residents of suburbs within the Waverley LGA from Australian Bureau of Statistics (ABS) household census data. In total, this data suggests that car ownership has remained consistent between 2001 and 2011 with some suburbs showing increases (e.g. Dover Heights) while others have decreased (e.g. North Bondi).

Figure 3.2 shows that for selected suburbs, the average rate of car ownership per household is 'flattening out'.

From 2001 to 2011 suburbs such as Tamarama, Bondi Beach and Bondi Junction show no increase in the number of cars owned per dwelling in contrast to suburbs such as Dover Heights and Queens Park, where a significant increase can be seen.


Figure 3.2 includes a trend line for the average household vehicle ownership in similarly-located inner city LGAs (Canada Bay, North Sydney, Inner West and Randwick). Tamarama has a similar profile to these other inner city areas whereas Bondi Junction and Bondi Beach have much lower vehicle ownership per household. Dover Heights is a clear outlier with much higher vehicles per household than the inner city average and the Greater Sydney average as well as having a faster rate of growth in its vehicles per household.



Source: ABS 2011 Household Census Data.

Note: When calculating the number of vehicles, households labelled as having "3 or more vehicles" were assumed to have a total of 3 vehicles. Include passenger cars and 4WDs.

Figure 3.1: Waverley LGA Car Ownership by Suburb



Source: ABS 2011 Household Census Data.


Note 1: The Waverley suburbs graphed were chosen to best show trends across the LGA and provide clear representation of the LGA's northern, central and southern suburbs.

Note 2: When calculating the Vehicles per Dwelling rate, households labelled as having "3 or more vehicles" were assumed to have a total of 3 vehicles.

Note 3: "Inner City LGAs" is the average of Canada Bay, North Sydney, Inner West and Randwick LGAs.

Figure 3.2: Average Household Car Ownership Trends by Selected Suburb

The RMS vehicle registration data (Figure 3.3) is slightly different to the ABS household census data as it includes businesses as well as households. The RMS data shows an overall increase in the number of vehicles registered in the Waverley LGA between 2001 and 2016. However, all of this growth has been in 4WDs and in motorcycles/scooters, rather than in cars.



Source: RMS (2016), business and residential vehicle registrations

**Figure 3.3: Number of Registered Vehicles in Waverley LGA**

Waverley's EAP3 document (2006) set a target of reducing the number of 4WD/SUV-sized vehicles across the LGA, and the data suggests this has not been the case to 2016.

It is important to recognise that vehicles registered in Waverley LGA are not necessarily garaged there, or even driven and parked in the LGA. In some cases, businesses with headquarters or postal addresses within the Waverley LGA may register their vehicle there and use them elsewhere. In any case business vehicles would not appear in the ABS household data and this explains the discrepancy between the data sources.

Overall, the car ownership and vehicle registration data provides a general indication of growth in local traffic and parking demand in the Waverley LGA over time. However, this data needs to be considered in a broader context of the influence of household size, household density, business vehicle use, visitor demands and accessibility to alternative transport modes which all affect traffic and parking demands in specific parts of the Waverley LGA. That is, car ownership trends in isolation do not sufficiently describe traffic growth and parking demand trends.

What can be concluded from the data however is that the range of transport options, mixed use development and historically-restrained car parking for new developments in high density areas has resulted in relatively low growth in car ownership in key parts of Waverley; but more could be done.

### 3.4 OTHER LOCALISED ISSUES

Other localised issues that have been identified include:

- **General:** Some footpaths are in a state of disrepair and are lacking facilities for mobility impaired persons (e.g. kerb ramps);
- **General:** Absence of "safe zone" areas and facilities surrounding Schools;
- **General:** A number of intersections act as significant "pinch points" introducing delays that are well in excess of their adjacent intersections (examples include: Old South Head Road / Syd Einfeld Drive, Carrington Road / Bronte Road, Old South Head Road / Blair Street / O'Sullivan Road, Bronte Road / Birrell Street and Carrington Road / Birrell Street);
- **Bondi Beach key intersections:** What are the potential impacts of development on the performance of key intersections such as Campbell Parade / Hall Street and Campbell Parade / Curlew Street; and
- **Bronte Terminus:** Pedestrian, bus and traffic conflicts at this location.

### 3.5 EMERGING CHALLENGES

NSW Household travel survey data shows that Waverley LGA residents are highly active and mobile, making frequent trips (4.8 trips per weekday compared to the Greater Sydney average of 3.6 trips per weekday); that are short distance (10.8 vehicle kilometres travelled per person compared to 17.5 kilometres for Greater Sydney); and for more social/recreation purposes (30% compared to 25% for Greater Sydney).

With a walking mode share of 29%, it is clear that multiple short trips in and around centres are popular. Public transport mode-share at 15% is less than expected for an area with the level of density of Bondi Junction and Bondi Beach, reflecting the long travel times to access major public transport services including by bus. This trend will continue unless bus travel times in key corridors can be made faster than travel times by car.

Ageing in place is not a trend seen in the past in Waverley (unlike many other places) and the data suggests that there is a level of transience in the population as they age. Higher density areas of Bondi Beach, Bondi Junction, North Bondi and Tamarama have populations with a much younger average age and lower rates of car ownership per household than areas to the north and south such as Dover Heights, Queens Park and Bronte.

An ageing population is however a broader trend and with more elderly in the outer suburbs. An emerging challenge will be the provision of a greater coverage of services to these areas as well as footpaths that overcome excessive grade issues.

The primary redevelopment areas in Waverley are those with the greatest levels of congestion such as Bondi Junction, the Bondi Road corridor, Bondi Beach, Old South Head Road corridor through Dover Heights and Charing Cross Corridor to the south of Bondi Junction. Redevelopment of these corridors could be viewed as emerging congestion exacerbation issues, or, alternatively, to re-consider public transport provision in these areas given increasing trip densities.




## 4. WHAT IS OUR POLICY POSITION?

### 4.1 PLANNING CONTEXT (WHAT WE NEED TO WORK WITHIN)

There are a number of over-arching studies which this strategy needs to work within and/or be consistent with. These include:

- The NSW Long Term Transport Master Plan (LTTMP);
- Waverley Environment Action Plan 3: 2012-2020 (EAP3);
- Waverley Together 3: Our Community's Strategic Plan (WT3); and
- Waverley Transport Plan 2011 (WTP).

The key elements of each of the above documents relevant to consider when developing improvement strategies for the Waverley LGA are shown in Table 4.1.



Waverley Transport Plan  
December 2011




Table 4.1: Overarching Strategy Influences

Source	Element	Influence in this Strategy
LTTMP	External relationships to Sydney CBD, to Randwick Education and Health Specialisation precinct and to Sydney Airport precinct.	Strengthen transport connections to/from the CBD and to/from the south-west.
LTTMP	Connection between the Sydney CBD, Bondi Junction and Bondi Beach defines as "Intermediate transit" (next level down from Mass Transit) defining the need for good all day service frequencies and the primary access to stops being walking.	Infers the need for a public transport spine between Bondi Junction and Bondi Beach that has right of way, high frequencies and redevelopment to increase the proportion of walk access to the corridor's public transport system.
WT3	Emphasis on sustainability in all aspects of the strategic plan	Strategies lean towards sustainability outcomes over short term gains if trade-offs are required.
WT3	L6 Roads – stabilise or reduce vehicle numbers, ensure access to major hubs is direct and create place-based centres which prioritise pedestrians.	Focus is on modal shift for candidate travel markets. More direct movement to major hubs/centres and pedestrians are the focus in centres such as Bondi Junction and Bondi Beach.
WT3	L7 Walking and Cycling – focus on creating safe and accessible walking and cycling links.	Focus on safe facilities for vulnerable users which generally means separated and off road facilities where possible.
WT3	L8 Public transport – improve and augment main routes, improve access to Bondi Junction and implement mass transit between Bondi Junction and Bondi Beach.	Improvements in key corridors to focus on making public transport more time-competitive with the car.
WT3	L9 Parking – Ensure fair access parking services and education/awareness of safe parking practices	Focus on equity in parking access allocation over bias towards specific user groups. Take an objective value for money approach for parking allocation.
WTP	Emphasis on sustainable transport through reducing Vehicle Kilometres Travelled by 15% and targeting 40% of person-kilometres travelled by non-car modes.	This suggests more walking trips achieved through consolidation of development around highly accessible centres and corridors and focussing public transport investment on capturing longer distance trips (such as northern, southern and eastern corridors to/from Bondi Junction).



## 4.2 TRAFFIC AND TRANSPORT IMPROVEMENT POLICY AND REASONING

In order to balance sustainability objectives with liveability objectives, Waverley's People Movement and Places Strategy aims to:

*"Provide an equal level of transport mode choice for Waverley residents, employees and visitors through effective active transport schemes, more competitive public transport, better access to all transport networks, more direct connections and greater equity in accessing parking opportunities. Local centres are well connected by an overarching network, while networks in centres prioritise on the basis of people movement."*

The underlying premise is that congestion-related issues cannot be "solved" but that they can be better managed through integrated transport strategies that form a land-use transport system where public transport, walking and cycling usage can flourish. There comes a stage in the evolution of cities or centres where providing multiple viable modal alternatives is a far better strategy than focusing efforts on "improving" one particular mode. This is especially the case in mature, medium density areas like Waverley where street grids, land-use activities and built form were developed around walking and public transport before car use became more dominant. In these precincts and neighbourhoods, trips are frequent, often local and cover short distances. These types of trips are well suited to walking and public transport, but vulnerable to high levels of congestion if undertaken by car.



Waverley, with its diverse trip purposes and patterns and its high levels of congestion is an area where effective transport choice (whether it is modal choice, route choice, time of day choice, parking choice etc.) is becoming increasingly important. Where choice is provided, each option has its own costs and benefits which can be managed to achieve desired transport and sustainability outcomes.

Also, the importance of parking in influencing transport and land use policy implementation cannot be understated in an area such as Waverley where parking demand clearly exceeds supply in many areas. Understanding the value of parking to residents, to new development and to businesses is critical in developing an appropriate parking supply and parking management strategy.

In districts like Waverley, congestion can be better managed through integrated transport strategies that form a transport and land-use system where public transport, walking and cycling with their higher capacities and lower resource-use and land-take can provide viable options for trips to local centres and longer-distance trips to neighbouring employment hubs like the Sydney CBD.

In order to achieve sustainability objectives and enhance liveability, Waverley's *People Movement and Places* strategy aims to provide more transport choice for Waverley residents, businesses, employees and visitors.

Greater choice can be provided through:

- priority over other needs at critical points for pedestrians and people riding bicycles within key centres to support the movement of more people;
- more travel time-competitive public transport options (higher travel speeds and capacities on key routes) to lift overall network performance;
- planning and redevelopment that increases mixed use and density along major public transport corridors will increase the viability of major transport improvements, such as light rail along Bondi Road;
- more direct connections along key desire lines where network structure and permeability is poor;
- better network connectivity and interchanging across all transport modes where discontinuities occur, reducing over reliance on a single transport mode; and
- greater equity and options for accessing limited parking resources.

## 4.3 KEY GOALS

Under the traffic and transport improvement policy, the following key goals are targeted in order to provide more travel choices to people in the Waverley LGA:

- prioritise for pedestrians and bicycle riders in centres such as Bondi Junction and Bondi Beach;
- increase the number of trips undertaken by walking and cycling by increasing convenience and safety through provision of appropriate end-of-trip facilities for bicycles and upgrades to key routes, especially to local centres;
- increase the viability of using public transport by increasing the capacity and relative speed of services in primary public transport corridors;
- improve the directness and number of connections within the local road network to support the primary road network, particularly for north-south trips across Waverley;
- reduce the volume of circulating traffic at key centres by providing more off street parking opportunities, ensuring greater equity in parking provision in centres and managing on street parking on a value for money basis;
- reduce the volume of circulating traffic by improving information provided to users about off-street parking availability; and
- encourage redevelopment to occur along high demand corridors.

## 4.4 BONDI ROAD INTERIM ACCESS STRATEGY

On the 5<sup>th</sup> of November 2013 Waverley Council resolved to:

*“Develop an Interim Access Strategy for the Bondi Road corridor to identify short to medium term options to improve public transport efficiency and maximise patronage, given that light rail is a medium to long term proposition. The investigation is to include consideration of a new bus route between Bondi Beach and Edgecliff via the Rose Bay Ferry Wharf and Double Bay and other public transport options to and from Bondi Beach.”*

The aim of this strategy was to enhance public transport access in the short and medium term over the period 2016-2025 and in particular to consider the pros and cons of:

- priority travel lanes;

- clearways and bus lanes;
- bus stop locations and intervals (noting that Bondi Road is currently the focus of a separate Transport for NSW study);
- cycle routes;
- pedestrian activity and crossings;
- on street parking and loading areas;
- right turns at intersections;
- site/driveway access;
- traffic lights, coordination and priority lanterns; and
- alternative routes to and from the beach.

A number of recommended actions outlined in Section 6 of this report address many of the transport issues listed above. **Signature Project 2** and **Signature Project 3** in particular, specifically address a number of items related to Council resolution as well as Actions 3C.5 and 1C.7.

## 4.5 PARKING RATES FOR NEW DEVELOPMENT

In many parts of the Waverley LGA, parking demand exceeds supply and finding a parking space can generate a lot of circulating traffic. Historically, a lot of resident-based parking has been on-street with many dwellings not having garages, or where garages are available, they may have been used/converted for other purposes.

Prior to recent amendments in the Waverley DCP there were four parking zones (Zone A, B, C and Bondi Junction). The areas that have had the lowest growth in car ownership over the past two decades (Bondi Junction, Bondi Beach) correlate with the parking zones called 'Bondi Junction' and 'Zone A', which had zero minimum parking requirements for new developments. The areas that experienced medium growth in car ownership (Tamarama, Queens Park) were marked as 'Zone B', which had relatively low minimum rates for car parking in new developments. The areas that experienced the highest growth in car ownership (e.g. Dover Heights) were marked 'Zone C' which had higher minimum requirements for car parking in new developments.

In 2015 the Waverley DCP was amended significantly with respect to minimum car parking requirements for new residential developments. It created just two parking zones: Zone 1 and Zone 2 (see Figure 4.1). Zone 1 applies to Bondi Junction and requires a minimum of 0.5-1.5 parking spaces per dwelling. Zone 2 applies to the remainder of the Waverley LGA and requires a minimum of 0.5-2.0 parking spaces per dwelling.




Figure 4.1: Waverley Parking Zones

The multi-unit residential parking rates defined within the Waverley DCP for "Parking Zone 1" are currently set at levels that are above RMS guidelines for high density development in metropolitan areas. The proximity of Zone 1 to a high level of public transport service (regional buses and trains), as well as the area's definition as a "Strategic Centre" in the NSW transport planning document "A Plan for Growing Sydney", suggest the current rates for Zone 1 need to be reconsidered.

Setting 'maximum' rates with a zero minimum for Zone 1 better aligns with the NSW Department of Planning and Environment' Technical Note on car parking requirements in SEPP 65, that states: *"Those centres defined in 'A Plan for Growing Sydney' as a CBD, Regional City Centre or Strategic Centre should apply the Metropolitan Regional Centre (CBD) rates of the RMS Guide to Traffic Generating Developments (GTTGD), while the remaining Sydney centres serviced by railway or light rail stations should be classified as a Metropolitan Subregional Centre for the purposes of the GTTGD."* Bondi Junction is currently classified as a Strategic Centre.

It should be noted that when developing new parking rates for Zone 1, those recommended within the RMS Guidelines were written in 2002 for the whole of NSW and are based, in part, on data from 1981. Since then, more contemporary planning and parking management approaches have considered restraining parking supply as a key mechanism in sending the right "signals" to the market that living in transit-orientated, high density areas requires a different attitude to car ownership and usage.

It is suggested that car parking rates for multi-unit residential developments in "Parking Zone 1" be set to 'maximum' rates, with zero minimum car parking requirements for new developments to further constrain growth in private vehicles in this congested area. Refer to Actions 1E.1, 1F.3, 1F.4 and 2E.3.

Parking Zone 2 currently requires a higher rate of car parking provision for new residential developments with the rates not appearing to have a basis in the RMS Guidelines for either medium or high density dwellings. Changing the minimum parking rate for Zone 2 to zero (currently set at 0.5 per dwelling) would allow for a greater diversity of building type, increased housing affordability, and greater market choice.

Based on the car ownership data, should light rail or bus priority be implemented from Bondi Junction to Bondi Beach, then the Bondi Beach area and the Bondi Road Corridor (approx. 800m either side) should be considered for inclusion in Parking Zone 1 as well.

Other factors to take into consideration when developing policies around parking rate changes include:

- the introduction of autonomous vehicles;
- the increasing use of ride share schemes;
- the use of more technology based parking systems;
- demographic changes and behaviour change;
- trends towards a greater emphasis in public health outcomes; and
- reducing sedentary lifestyles.

Flexibility in re-using parking spaces for other purposes, as parking needs change in the future should be a key consideration in setting parking policy. Also, customers' vehicles are like to generate a need for more drop-off and pick-up space and parking policy needs to contemplate whether this should be on-site or fronting the site.

#### 4.6 PARKING FEES AS A TRANSPORT FUNDING SOURCE

The NSW Office of State Revenue outlined that the existing 1,600 leviable car parking spaces in Bondi Junction alone contribute a total \$1.1 million per annum (of \$105 million raised across all 5 levy locations in Sydney including Sydney CBD) to the NSW Parking Space Levy. The rate currently increases at CPI and is \$840 per space from 1 July 2016.

The amount raised is held in the "Public Transport Fund" and must be used to finance projects that "provide public transport to, from, and within leviable districts" as well as real-time info, and other related activities. Hypothecated over a 20-year period total contributions from Bondi Junction would equate to around \$22 million in today's dollars.

Integrating this policy into Waverley's PMP strategies would assist in providing a basis for a State funding contribution towards major projects in the LGA, such as upgrading the Bondi Junction Interchange.



## 5. SIGNATURE PROJECTS

The following section discusses the twelve (12) transport network and infrastructure Signature Projects recommended for the Waverley LGA. The 12 projects are as follows:

1. *Bondi Junction Transport Interchange*
2. *Bondi Road Corridor Public Transport Priority*
3. *Bondi Road - Laneways, Land Use and Parking Strategy*
4. *LGA Wide Walking Strategy*
5. *Bus Priority – Old South Head Road and Bronte Road*
6. *Bicycle Share Scheme with E-bikes*
7. *Dynamic Parking Management System*
8. *Bondi Junction Centre*
9. *Bondi Beachfront Area*
10. *Charing Cross Village*
11. *Cycling Superhighways*
12. *Schools Active Transport Strategy*





## 5.1 BONDI JUNCTION TRANSPORT INTERCHANGE



Key Benefits		walking	public space	bicycles	buses	service vehicles	cars	parking
✓✓✓	Very significant benefit							
✓✓	Major benefit							
✓	Some benefit							
1	Bondi Junction Transport Interchange	✓✓✓		✓✓	✓✓✓			✓

### Description:

Around 80,000 passengers "tag on" and off at Bondi Junction interchange every weekday. Of these, around 25% transfer to another transport mode. The remaining 60,000 passengers enter or exit the interchange on foot, to continue the remainder of their journey by car (from a nearby car parking facility or kiss-and-ride), by bicycle, on foot, or another bus service outside the interchange. There is an estimated current demand for at least 600 bicycle parking bays (2% mode share for 30,000 people arriving at the station on a weekday).

Considering the scale of movement, the Bondi Junction interchange needs to function as efficiently as possible and provide customers clear guidance on alternative modes to interchange to/from. The form of the interchange is inefficient for both bus movement and people movement between stops/stations platforms and to/from surrounding areas.

Council has undertaken preparatory work for the redevelopment of Rowe Street between Oxford Street pedestrian mall and Grosvenor Lane, adjacent to the existing Bondi Junction interchange, which should be integrated into future design options. The redevelopment of Rowe Street will reinstate the direct pedestrian connection between the mall and the train concourse. Options that present themselves include activation of Grosvenor Lane as a pedestrian space and the installation of a large bicycle parking and servicing facility.

Each car parking space in Bondi Junction contributes \$840 per annum (indexed to the consumer price index) to the NSW Parking Space Levy, unless it is exempt for particular uses. Bondi Junction contributes an estimated \$1.1 million per annum to the total \$105 million collected annually by the Office of State Revenue. Hypothecated over a 20-year period, the Bondi Junction contribution equates to around \$22 million (refer Section 8.1, Action 2C). There is a strong case for this contribution to be used towards improving the Bondi Junction transport interchange including upgrades to pedestrian access, bicycle parking, real time information, and bus operations. Refer actions 1C.1, 2C.3.

### Benefits:

Upgrading the Bondi Junction interchange will improve integration and connectivity between various transport modes. Improvements to the efficiency and effectiveness of the interchange will encourage greater use of alternative transport modes. By improving what is essentially the "gateway" to and from Waverley, any transport changes would be expected to effectively "flow-on" throughout the local network (i.e. improved cycle-train interchanges increases people riding to the train station).

### Limitations:

Limitations for redevelopment of the Bondi Junction interchange mostly surround physical constraints and the high concentration of commercial developments that may be impacted as a result. Construction cost and construction cost risk are also key limitations

### Recommendations:

- Encourage TfNSW and Sydney Buses to work collaboratively with Council to undertake a master plan for the redevelopment of Bondi Junction rail/bus interchange; and
- Investigate integrating improvements with existing and planned Bondi Junction works.



## 5.2 BONDI ROAD CORRIDOR PUBLIC TRANSPORT PRIORITY










### Purpose and Description:

The Bondi Road Corridor is already heavily patronised by bus passengers and the TfNSW Long Term Transport Master Plan has recognised the corridor as a major transit route. Buses are subject to the same delays as cars and, when stops are added in, and where access to/from residential areas are added in, bus travel times can be significantly longer than car travel times for the same trip.

Also, there is passenger congestion in this corridor with insufficient bus capacity in peak times to accommodate all of the demand and passengers sometimes having to wait for a following bus because the first bus is full.

Light rail, bus rapid transit and bus priority upgrade options are currently being considered by Waverley Council for this corridor. A Bondi Road Corridor Transport Strategy has been prepared by Parsons Brinckerhoff for Waverley Council (2016) with potential options for Light Rail or bus rapid transit along the corridor. In the short term, an Interim Access Strategy would be adopted to provide bus priority improvements (Refer actions 1C.8, 4C.1)

Key Benefits								
✓✓✓	Very significant benefit							
✓✓	Major benefit							
✓	Some benefit							
2	Bondi Road Corridor - Public Transport Priority*	✓✓	✓✓	✓	✓✓✓			

### Benefits:

Any form of right of way for public transport in this corridor will significantly improve the competitiveness of public transport compared to private vehicles. In addition, it will significantly improve travel time reliability, and, depending on what type of vehicle is ultimately selected, it will remove the need to wait for another vehicle due to overcrowding.

With more reliable services, connections to trains and express buses at Bondi Junction will be improved and the ability of public transport to attract additional modal share will be increased.

### Limitations:

Bondi Road is a very constrained corridor with a high traffic demand. Reallocation of existing space may will impact the existing private vehicle traffic demands, without a reasonable, proximate alternative route. There will likely be a broader re-routing of traffic, with quite dispersive potential impacts. Other key constraints include the Bondi Road/Council Street intersection and entry into Bondi Junction which is contorted. Fundamentally, this will need to be an urban renewal project rather than simply a public transport project.

### Recommendations

- Work collaboratively with TfNSW, RMS and Sydney Buses to develop a concept plan of a long term bus priority measures including land requirements as redevelopment occurs; and
- Develop a concept plan of short term bus priority measures that don't require private land but are consistent with the long term concept.





## 5.3 BONDI ROAD – LANEWAYS, LAND USE AND PARKING STRATEGY



### Purpose and Description:

The limited on-street and off-street parking availability along and adjacent to Bondi Road is an issue for both businesses and residents in the side streets that run tangential to Bondi Road. The absence of nearby roads to use for circulation requires more traffic to use Bondi Road as well. Also, there is no direct, continuous east-west cycling route in the corridor outside of Bondi Road which is challenging for most bicycle riders.

The scheme involves:

- creation of a rear lanelway behind the commercial or mixed use buildings fronting Bondi Road (as they re-develop) for access, circulation and bicycles; and
- car stackers or conventional multi-story car parks straddling or next to the lanelways that can be used by commercial developments or nearby residents (shared or allocated usage).

This strategy would require further investigation and testing against floor-space ratios, height restrictions and other planning controls in the area. (Refer actions 4B, 4C, 4E, 4F)

### Recommendations:

- Further assessment and design to create a long term corridor master plan associated with Signature Project 2 and incorporate into local development control instruments. In the short term, an Interim Access Strategy would be adopted to provide bus priority improvements.

### Benefits:

The concept assists with mitigating the impacts of any parking removal as part of a bus or light rail scheme along Bondi Road. It also provides a continuous cycling route either side of Bondi Road for improving the amenity of cycling between Bondi Junction and Bondi Beach. Traffic can also use the lane-way to circulate to/from parking locally, rather than be required to circulate via Bondi Road.

The concept would most likely be implemented in sections as redevelopment occurs.

### Limitations:

There is very limited space in these areas, all measures would only be possible as part of redevelopment. As such, this project would involve aligning policy documents and be a long-term scheme for the corridor. It could be seen as part of an overall Bondi Road Corridor "Master Plan" for which a light rail or bus priority scheme provides the catalyst for redevelopment.





## 5.4 LGA WIDE WALKING STRATEGY



### Purpose and Description:

Waverley has a walking mode share of 29% which is 12% more than Greater Sydney. To cater for this demand there is a clear need for safe and connected pedestrian networks. The majority of pedestrian activity occurs within the centres of Bondi Beach and Bondi Junction however the pedestrian accessibility to these and other local centres is important in encouraging more residents and visitors to walk. It is important to understand which areas have the potential for mode share increase and where walkability or challenging topography of the LGA may be an issue.

A walking strategy for the LGA would involve identifying major pedestrian generators and key desire lines across the LGA. The barriers or missing links near generators and along the key desire lines would then be established (through a GIS study of topography, cadastre and land ownership). In conjunction with this, walkability audits of existing pedestrian facilities will facilitate an upgrade program to be created. There would also be significant benefit in capitalising on a strong walking culture in the LGA with further education and marketing plans accordingly (Refer Action 1A.2).

### Benefits:

Pedestrian connections and facilities are improved encouraging greater walkability throughout Waverley. By providing a more attractive and convenient alternative for short trips, increased walking assists in easing traffic congestion, particularly within key centres. Better walking access to buses and trains also promotes multi-modal trips across the LGA and to/from the other parts of Greater Sydney.

### Limitations:


Barriers such as highly trafficked roads, narrow road reserves and footpaths, existing buildings without pedestrian connections and the land topography (ie. cliffs and valleys) poses challenges in some areas. Waverley's topography may also present an issue to encouraging people to walk as it becomes steep and difficult in some areas.

### Recommendations:

- Identify the key pedestrian generators, activity areas and desire lines and map these. Undertake a GIS study of topography, cadastre and land ownership to identify walking barriers and missing links. Audit existing pedestrian facility conditions and connectivity to generate specific actions to undertake, including through PAMPs; and
- Identify key trip purposes where walking has the potential to attract increased modal share and establish education and marketing plans accordingly.



## 5.5 BUS PRIORITY – OLD SOUTH HEAD ROAD AND BRONTE ROAD



### Purpose and Description:

Both Old South Head Road and Bronte Road carry large volumes of buses with substantial passenger volumes to Bondi Junction and beyond. Bus travel times on both corridors are significantly longer than car travel times for equivalent trips, in particular the Bronte Road through Charing Cross which then heads towards Bondi Junction is heavily congested in peak periods. With slower travel speeds and the need to pass through residential streets and stop multiple times, door-to-door bus travel times can be more than twice those of the same trip made by car. To ensure that buses are more time-competitive with private vehicles (door-to-door) travel times must become faster and more reliable, in addition the availability and relatively cheap parking at key destinations is also reducing public transport travel times relative to cars and as such this is an important improvement that must be made to the Waverley transport system.

A scheme might involve sections of bus lane and bus jumps at intersections along both roads. Bronte Road is wide enough for bus lanes north of Victoria Street, albeit with on street parking impacts. South of Victoria Street, the significance of parking to businesses increases and both reducing traffic volumes and introducing intersection-based bus jumps are the most effective means of improving bus travel times. (Refer Section 8.4, Action 5C). While, given width constraints along Old South Head Road, bus lanes and bus jumps may only be able to be provided inbound to Bondi Junction with some outbound priority treatments at key intersections as well. (Refer Action 1C.8).

### Benefits:

Corridor travel times that are faster and more reliable than car will encourage more people to catch the bus for shopping and recreation in Bondi Junction and for trips beyond Bondi Junction to other parts of Sydney. If bus priority schemes were introduced (either queue-jumps at intersections or preferably full-length peak period bus lanes) this infrastructure would then need to be maximised through focussing high frequency bus services into these corridors increasing the likelihood of buses being used for the high volume of passengers moving between Bondi Junction and the north or south of Waverley.

### Limitations:

Physical constraints along this corridor are due to road width and space availability, in particular in busy commercial areas such as on approach to Bondi Junction.

Reallocating lane space to buses has the potential to produce higher levels of congestion and impacts on the Victoria Street intersection near Charing Cross will require traffic to be further encouraged to use alternative routes (Charing Cross projects - Section 5.10). Along Old South Head Road there will be some peak period traffic impacts that could be mitigated through targeted intersection widening, promotion of alternative routes, or through accepting the trade-off for increased transport choice being some additional peak period delay for traffic.

It is noted that Council currently has streetscaping plans that redesign the east side of Bronte Road between Ebley Street and Birrell Street. This concept includes kerb "buildouts" which could be an acceptable interim measure before implementing bus priority.

### Recommendations:

- Work collaboratively with TfNSW, RMS, Sydney Buses and Woollahra Council to develop concept plans, such as:
  - integrating works required for a 7am-9am inbound bus lane on Bronte Road from Victoria Street to Ebley Street;
  - bus priority treatments along Old South Head Road (Curlewis Street to Syd Einfeld Drive), including any land requirements and intersection modifications and consideration of AM peak clearway conditions as an interim option









## 5.6 BICYCLE SHARE SCHEME WITH "E-BIKES"



Example: Milan, Italy



Potential start-up scheme: Bondi Beach, Bondi Road, Bondi Junction

Key Benefits							
✓✓✓	Very significant benefit						
✓✓	Major benefit						
✓	Some benefit						
6	Bicycle Share Scheme with "E-Bikes"	✓		✓✓✓	✓		✓

### Purpose and Description:

The Waverley LGA includes a lot of recreational travel and a lot of "casual" travel associated with visitors to Bondi Beach and Bondi Junction. In addition, many parts of the LGA contain steep terrain which discourages bicycle usage for casual or employee bicycle riders who do not wish to overexert themselves on the way to meetings or work as well as those who are not as capable when it comes to cycling (such as the elderly).

The use of E-bikes around the world have been shown to provide opportunities to encourage cycling (to work and recreationally). A bike hire-share scheme coupled with a fleet of E-bikes overcomes the need to own and maintain a bicycle. The E-bikes would contain a small motor that would assist riders on adverse grades, or even on flat grades if needed and would take down one more barrier to cycling.

Examples of bike share schemes are available throughout Europe and Australia such as in Milan, London, Paris, Brisbane and the Sydney CBD. The E-bike scheme in Milan, Italy provides simple electric bikes to supplement standard bikes for users that prefer this assistance.

An initial scheme in Waverley would most logically cover Bondi Beach, Bondi Road and Bondi Junction; the highest areas of activity for a range of trip purposes. A Bondi Road corridor route would however need to be developed as part of the scheme such that it would be suitable for occasional users who would not be comfortable riding in mixed traffic along Bondi Road. A connection to Rose Bay Ferry Wharf would also be a logical extension of the scheme due to its relatively flat route.

It should be noted that the City of Sydney and Randwick Council have investigated the feasibility of introducing a pilot public bike hire scheme before 2020 and Waverley's scheme could ultimately integrate with this (and other schemes in the south-east).

### Benefits:

Waverley would benefit greatly from a bike sharing scheme due to its already high modal share for active transport use and its high number of trips that are undertaken for recreational purposes and tourism, as well as the relatively short distance trips taken in Waverley. The addition of E-bikes simply broadens the range of this type of schemes appeal to more everyday users travelling to work and School.

As part of Bondi Junction and Bondi Beach redevelopment in the future new bicycle parking facilities may include "bike share" points and key cycle routes could include bicycle charging locations for E-bikes.

### Limitations:

Bicycle routes along the constrained Bondi Road corridor would be difficult to implement and in some locations could only be achieved with redevelopment. Some bicycle schemes around Australia, while successful, have had issues with helmet availability and management.

### Recommendations:

- Undertake a pre-feasibility and market sounding project and then develop a business case for a bike share scheme with e-bikes (Bondi Beach to Bondi Junction and Rose Bay – Refer action 1B.8, 3B.2) in partnership with neighbouring Councils.

## 5.7 DYNAMIC PARKING MANAGEMENT SYSTEM



Example: San Francisco (SFPark)



Potential application: Bondi Beach

Key Benefits								
✓✓✓	Very significant benefit	walking	public space	bicycles	buses	service vehicles	cars	parking
✓✓	Major benefit							
✓	Some benefit							
7	Dynamic Parking Management System	✓	✓		✓✓		✓✓	✓✓✓

### Purpose and Description:

Parking space is a limited resource, particularly in areas where demand exceeds supply, as is the case in many parts of Waverley at specific times of the day or on specific days of the week. This was demonstrated in the car parking user survey's undertaken as part of the Waverley People Movement Places Issues Report. Also, the highest demand for parking is closest to the key destinations, such as beaches, shops, restaurants etc. Searching for parking when demand exceeds supply can lead to excessive traffic circulation and congestion, affecting other modes of transport as well as the general amenity of the area.

Dynamic parking pricing and management seeks to overcome many of these issues by:

- identifying where parking is over-utilised and where it is under-utilised;
- encouraging customers to use the under-utilised areas through making it cheaper than the more heavily used areas with signage directing them to these locations; and
- setting prices that send the right triggers to all potential users as to the value of the spaces that they are occupying.

The scheme would be most applicable in Bondi Beach and in Bondi Junction given the limited amount of uncontrolled off street parking in these areas plus the fact that different parking areas have different levels of demand at different times of the day, days of the week and weeks of the year; which is ideally suited to dynamic parking management.

The price-setting rationale would not aim to generate significantly more revenue than is currently generated but to develop a neutral revenue-change position; after accounting for implementation and management costs of the system. The system also incorporates automated over-stay detection methods to maximise the efficiency of the deployment of inspector resources.

The integration of parking permits into the scheme would pose a challenge that would need to be investigated further. (Refer Action 3F.1).

### Benefits:

The benefits of the system mostly relate to better utilisation of parking space and greater equity in the use of the most demanded spaces. The dynamic nature of the scheme means that as parking policies change, or development occurs over time, the pricing mechanisms can also be modified on a street-section by street-section basis.

Whilst a dynamic pricing scheme does not appear beneficial for Bondi Junction as well, an electronic, dynamic, parking availability signage scheme would have significant benefits.

### Limitations:

Integration of both beach and residential parking permits for local residents could present difficulties as permit users are not sensitive to the changes in pricing and hence are not responsive to management measures. There may be a need to segregate permit and "non-permit" spaces to overcome this issue. Another limitation may be the systems initial expense of installation and removal/upgrade of existing parking metres.



### Recommendations:

- Undertake a pre-feasibility study leading to market sounding and business case for a dynamic parking scheme in Bondi Beach (possibly in conjunction with Signature Project 6 and 9).





## 5.8 BONDI JUNCTION CENTRE



### Syd Einfeld Drive Ramps:

Currently access to Bondi Junction via Syd Einfeld Drive only exists at two points at either end (east and west). Given that a large proportion of traffic on Syd Einfeld Drive is actually destined for Bondi Junction, what current limitations do is create heavy turning movements at the eastern and western ends of Bondi Junction (causing queues to extend out of turn pockets), whilst ensuring that Syd Einfeld Drive is under-utilised. Although Syd Einfeld Drive is designed to take a much larger volume of traffic (currently 37,500 vehicles per day on a six lane carriageway) it is limited by the traffic signals at each end.

Notwithstanding concerns raised by RMS regarding compromising capacity, this improvement better balances demands and capacity by making better use of Syd Einfeld Drive and directing traffic more efficiently to the major car parks within Bondi Junction. (Refer Action 2D.1). The signalised intersections at each end of Syd Einfeld Drive should also be reconfigured, and an improved pedestrian overpass provided over Syd Einfeld Drive.

### Recommendations:

- Continue negotiations with RMS to implement the scheme.

### Better Car Park Accessibility:

The mix of one way streets and no right turns in and out of local streets and major access points causes those entering and leaving the Bondi Junction centre to circulate through central streets generating more congestion than necessary. For example, prohibited right turns out of centre car parks currently forces all traffic to circulate on Bronte Road and Spring Street in order to travel westwards. As such these vehicles add to centre congestion conflicting with pedestrians and public transport within the centre.

Allowing right turns out of some major car parks and/or providing U-turn facilities in strategic locations will allow traffic to avoid the major pedestrian conflict areas and reduce the circulation of traffic in the centre. Although this may increase traffic levels on streets such as Ebley Street the reduction of traffic on roads such as Bronte Road and Spring Street would allow for more pedestrian, cycle and bus priority measures.

Signage within Westfield car parks to encourage patrons parking to use particular exits to head towards to CBD or Bondi Beach would also reduce external circulation.

This project aims at prioritising active and public transport through the centre and reduce through-traffic travelling through the centre of Bondi Junction. A scheme such as "Complete Streets" provides a hierarchy and framework for streets and areas that guides these priorities within the centre. (Refer Action 2E).

### Recommendations:

- Model and assess the impacts and benefits of the scheme and generate a concept plan and business case for its implementation.

### Bypassing Bondi Junction:

The aim of this project is to reduce unnecessary traffic circulating within Bondi Junction to access car parking. The existing road network points traffic from the south, from areas such as Coogee, Clovelly and Bronte heading north (or vice versa), to flow directly towards Bondi Junction. A large volume of traffic from areas to the south of Waverley, such as Randwick, Kingsford and Coogee is "through traffic" bound for the Sydney CBD and other areas. Vehicles travelling from Woollahra heading south (or vice versa) often take Newland Street which traverses directly through the centre of Bondi Junction and around the perimeter of Queens Park. The conflict with pedestrians is particularly apparent on Spring Street.

The addition of this traffic through Bondi Junction increases congestion in local streets conflicting with traffic legitimately wanting to stop in Bondi Junction, as well as pedestrians, bicycle riders and buses in the area.



Encouraging through traffic to avoid the centre of Bondi Junction is a worthy objective and additional signage and reprioritisation of movements at the Birrell Street/York Street intersection to favour the bypass movement would assist in achieving this. Reconfigure the Bronte Road southern approach to Birrell Street to a dedicated left turns and shared left-through movements, while banning right turns. Restricting through traffic along Bronte Road north of Birrell Street through lane narrowing and streetscaping would also support this strategy.

### Recommendations:

- Re-configure the Bronte Road/Birrell Street and Birrell Street/York Road intersections and lower speeds on Bronte Road north of Birrell via streetscaping.



## 5.9 BONDİ BEACHFRONT AREA



### Campbell Parade/Queen Elizabeth Drive:

Car parking user surveys and observations indicate high numbers of pedestrian and bicycle rider crossing movements at this location. This wide roundabout provides insufficient gaps for pedestrians to cross and is confusing for both bicycles riders and general traffic at conflict points. Signalising the intersection (whilst retaining its U-turn functions) would be effective in this location to create vehicle platoons (and gaps for pedestrians), calm traffic speeds as well as providing a formal crossing opportunity for pedestrians.

A project similar to this was presented in the Bondi Park and Beach Plan of Management (2013), which included replacing the roundabout with a signalised traffic intersection. (Refer Action 3A.7).

It is noted that Council expressed concern with this concept in December 2016 in relation to the Campbell Parade Urban Design Review including U-turns, bus stop locations and pedestrian access. Notwithstanding these concerns, it deserves further consideration.

### Recommendations:

- Re-configure intersection as traffic signals.

### Campbell Parade Upgrade:

Campbell Parade is two lanes each way with intermittent parking/bus stopping zones in both directions and a pedestrian barrier running along its median. Given the limited supporting road network surrounding Campbell Parade, it is heavily trafficked by both through traffic and circulating traffic. However, this location should be seen as one where priority is provided for pedestrians, bicycles, buses then cars. Modal prioritisation should be allocated for streets in the area, similar to the Bondi Junction Complete Streets concept, with active and public transport in particular prioritised along Campbell Parade.

The measures suggested include the removal of one traffic lane in either direction, widening of footpaths and medians, adding more taxi and bus zones and the removal of the central pedestrian fence. This would allow pedestrians to cross mid-block if they chose to between the gaps created by adjacent traffic lights, if sequenced appropriately. The above measures could readily be integrated with the streetscaping recommendations in the Campbell Parade Design Review (2016). (Refer Action 3A.4, 3C.6).

### Recommendations:

- Prepare a Campbell Parade concept plan founded on one mid-block lane each way.

### Bondi Beach Off Street Car Parking:

The majority of Bondi Beach car parking is located within the Queen Elizabeth Drive car park that stretches across the entire Bondi Beach frontage. Traffic circulates through the car park, on Campbell Parade and in other local streets while hunting for an available space. Circulating traffic increases congestion levels and reduces pedestrian amenity in this prime pedestrian area.

Removing the existing Elizabeth Drive car parks and identifying alternative options, such as those outlined previously in the Bondi Beach parking studies would significantly reduce traffic vs pedestrian conflicts in this area. Allowing for clearer separation between modes and between the bays available to permit holders and bays available to non-permit holders would provide fairer access for all. These measures have the ability to work in with the dynamic parking management signature project also being proposed.

The removal of all car parking across the centre of Bondi Beach frees up space for recreation and provides a better beachside amenity for the area where pedestrians are not in conflict with vehicles. The addition of a bike hub for major events at Bondi Beach may be a suitable alternative use of some of this space at these locations. (Refer Action 3E.1, 3E.2 and 3F.1).


### Recommendations:

- Detailed parking study and business case to relocated parking.





## 5.10 CHARING CROSS VILLAGE



Key Benefits		walking	public space	bicycles	buses	service vehicles	cars	parking
✓✓✓	Very significant benefit							
✓✓	Major benefit							
✓	Some benefit							
10	Charing Cross Village	✓✓	✓✓	✓✓	✓✓			

### Description:

Charing Cross is a key southern centre within Waverley located on Bronte Road between the Carrington Road intersection and the Albion Street intersection. High through traffic volumes conflict with its centralised commercial nature impacting local traffic movements and causing significant congestion. Two projects are proposed to "reprioritise" the centre to align with active and public transport modes as well as discourage through traffic, including a High Pedestrian Activity Area (HPAA) scheme through the commercial centre and bus priority at the Carrington Road intersection.

The HPAA scheme would involve streetscaping and reprioritising lanes to encourage low speeds, local only traffic, high pedestrian and cycle movements and greater bus efficiency (with bus priority lanes). A scheme such as this may be implemented over time after considerable consultation with local residents.

In addition to the HPAA scheme opening up the pedestrian route with redevelopment (as shown in the figure above) would improve the permeability between Queens Park and the centre.

Shot bus lanes/jumps will also assist in prioritising bus movements ahead of general traffic. (Refer action 5A, 5B, 5C).

### Benefits:

The projects reinforce Charing Cross as a local centre by reprioritising for pedestrians, bicycle riders and buses and reducing conflicts between local and through traffic while increasing public transport accessibility and efficiency through the centre.

Reprioritisation of modes to make pedestrians and cyclists a higher priority creates a safer road environment and aligns with Waverley's increasing active transport mode trends.

### Limitations:

Changes this significant will inevitably affect some local residents and the scheme should be investigated in more detail including an extensive consultation process. Also there are a number of physical constraints in relation to the proposed HPAA scheme and potential lane changes would need to be investigated further given the limited road widths in the centre.

### Recommendations:

- Document pedestrian paths through laneways and redevelopment sites in development controls;
- Analyse, design and seek approval from RMS for bus priority measures at the Charing Cross intersection; and
- Investigate options to direct/prioritise "through traffic" onto Carrington Road rather than Bronte Road.



## 5.11 CYCLING SUPERHIGHWAYS



### Purpose and Description:

Waverley has a high mode share of active transport users when compared to greater Sydney. When considering the much higher number of recreational trips people take each day throughout Waverley compared to other parts of Greater Sydney and the increasing levels of traffic congestion, it is expected that even more people will be walking and riding bicycles in the future.

As such there is a need to provide high quality, separated bicycle infrastructure on key routes between local regional centres such as: Sydney CBD, Bondi Junction, Bondi Beach, Rose Bay Ferry Wharf, UNSW and the Hospitals campus, Centennial Park and Coogee Beach. Examples of high quality, separated bicycle routes exist all over the world, particularly in Europe where "bicycle superhighways" cater for large numbers of bicycle riders. Bicycle "superhighways" are large bicycle-only roads similar to a vehicle highway, with designated off and on ramp points and lanes for overtaking.

The *Waverley Bike Plan 2013* acknowledges the necessity of providing a comprehensive cycle network and has outlined six key cycle routes that are either currently under development or require linking sections. While the formation of bicycle superhighways in Waverley is considered a long term goal, facilities can be established as part of the routes outlined in the *Waverley Bike Plan* with capacity to expand. This type of staged implementation would require working with surrounding Councils, and the State Government, to plan and build regional routes.

Missing cycle links within the current Waverley network are the most immediate task in building towards a comprehensive cycle network. As part of this strategy the implementation of missing cycle links outlined in the *Waverley Bike Plan* should attempt to include these facilities. When implementing missing links consideration should be given to cycle routes adjacent and outside of the study area, such as the RMS/TfNSW "*Principle Bike Network and Inner City Regional Bike Network*".

Infrastructure Australia's priority project list includes the Inner Sydney Active Transport Network, which provides \$175 million for regional cycling routes within the inner Sydney area. (Refer Action 1B.1, 1B.2, 2B.3, 2B.6, 3B.1).

### Benefits:

This type of cycle infrastructure encourages bicycle usage reducing the need to use motorised private or public transport modes to travel to/from and within Waverley. The multi-speed nature of these routes allows for bicycle riders of all levels to use the route. A scheme such as this can be created in stages as a long term infrastructure plan that incrementally encourages more bicycle riders as the project extends "piece by piece". Cycling superhighways would need to be implemented as part of a comprehensive network strategy working in conjunction with supporting cycling facilities.

### Limitations:

The physical space needed for these full superhighways can be as wide as roadways. Terrain and geography would also need to be considered when choosing routes as would the location of key interchange points.

It is often difficult to quantify the value for money proposition of these facilities and innovative methodologies are needed to allow these projects to compete with road projects for limited funding.


### Recommendations:

- Progressing construction of the missing links identified in the *Waverley Bike Plan 2013* consideration of the potential for bicycle superhighways in the long term for these links and new links; and
- Review potential for additional bike superhighways in long term connecting adjacent Council areas, including any expansion of the existing council. For example, investigate Curlew Street/Birringa Road as a separated bike superhighway consistent with the *Waverley Bike Plan*, RMS/TfNSW Principle Bike Network and Inner City Regional Bike Network.





## 5.12 SCHOOLS ACTIVE TRANSPORT STRATEGY



Key Benefits		walking	public space	bicycles	buses	service vehicles	cars	parking
✓✓✓	Very significant benefit	✓✓✓		✓✓	✓✓		✓✓	✓
✓✓	Major benefit							
✓	Some benefit							
12	Schools Active Transport Strategy	✓✓✓		✓✓	✓✓		✓✓	✓

### Purpose and Description:

A cluster of Schools exists within the local suburb of Waverley, south-east of Bondi Junction and identified in the adjacent figure. The Schools are centred around Church Street, which spans between Bronte Road and Carrington Road. There currently exists only two signalised pedestrian crossings at each end of Church Street.

During peak drop off and pick up times, large volumes of traffic are generated, heavily impacting surrounding streets. This daily influx of concentrated traffic slows buses on Bronte Road, blocks the movement of vehicles on Carrington Road and Bronte Road and reduces road safety for pedestrians and bicycle riders accessing the Schools and nearby precincts.

It is understood that the War Memorial Hospital site (identified on the adjacent figure) is likely to be redeveloped in the near future. As part of this redevelopment, there is an opportunity to provide a centralised drop-off and pick-up zone for the surrounding Schools near Church Street. This would then allow "pick-up exclusion" zones for other streets around the individual Schools.

The State Government NSW Centre for Road Safety "Drop-off and Pick-up Initiative" is outlined at [http://roadsafety.transport.nsw.gov.au/stayingsafe/Schools/dropoff\\_pickup](http://roadsafety.transport.nsw.gov.au/stayingsafe/Schools/dropoff_pickup). Whilst the policy states that drop off zones should be on the same side of the road as the Schools, in this situation there are existing signalised pedestrian crossings which could be used to provide safe access, though this may involve an investigation into impacts of increase usage at these crossing points. Designated drop off facilities would be offset by exclusion zones to improve safety and traffic flows in the immediate area surrounding schools. (Refer Action 5A, 5B and 5F).

### Benefits:

Providing a centralised pick-up and drop-off location for parents reduces the impact of this traffic on surrounding streets. Providing only one destination for parents also means that less traffic circulation looking for parking will occur and Schools in the area can present children and parents with a clear management plan, creating a safer and more efficient road environment in the area.

### Limitations:

Consideration will be needed as to how the site could be used outside of the relatively short Schools pick-up drop-off times. Education around any parking management plans will also be important. Further, the directing of traffic to one central point may exacerbate intersection pinch points on Birrell Street and Church Street and some local intersection upgrades may be required.

### Recommendations:

- Initiate discussions with the owners of the Hospital and adjacent Schools for the potential of a "shared" parking area and design safe walking routes between this area and each surrounding School; and
- Investigate opportunities to work with all Schools in LGA to improve active travel access and behaviour change.

## 6. STRATEGIES AND ACTIONS FOR THE WHOLE LGA

This section outlines strategies and actions that are of significance to the entire Waverley LGA. These actions are aimed at improving transport access opportunities for a large proportion of residents, employees and visitors to Waverley. Most of the actions in this section will require some form of collaboration and coordination with state government or surrounding Councils because of their scale and jurisdictional issues.

Actions are presented in order of implementation priority as follows:

- 1A Walking;
- 1B Cycling;
- 1C Public transport;
- 1D Service vehicles;
- 1E Private vehicle traffic network;
- 1F Off-street parking; and
- 1G On-street parking.

Figure 6.1 summarises the locations, strategies and actions that are applicable to specific areas within the LGA as well as some example locations of broader (network-wide) strategies.









Figure 6.1: Whole of LGA Actions Summary Map




## 6.1 ACTION PLAN SUMMARY

#	TOPIC	OUTCOMES SOUGHT	KEY ISSUES IDENTIFIED	OPPORTUNITIES	ACTIONS
1A	<b>Walking</b> 	Increase mode share of walking for short trips.	<p>Walking routes are difficult to navigate and are not well connected due to topography, lack of through-streets, lack of crossing opportunities on major roads and intersections.</p> <p>Higher motor vehicle use is encouraged by lack of pedestrian priority.</p> 	<p>Increasing the "walk score" of localities improves liveability and value (e.g. Bondi Junction is 16<sup>th</sup> in Sydney out of 93 sites).</p>	<p>1A.1 - Commit to placing walking, cycling and public transport at the top of transport hierarchy.</p> <p>1A.2 - Prepare a Walking Strategy for the whole LGA and identify the key locations and routes within the LGA. This would include an audit of existing conditions, a GIS study of topography, cadastre and land ownership, a strategy for improving walkability, and specific actions to undertake e.g. through PAMPs (Pedestrian Access and Mobility Plans). (Signature Project 4).</p> <p>1A.3 - "Crowdsource" community input on problem areas and potential solutions (e.g. with <a href="http://www.crowdspot.com.au">www.crowdspot.com.au</a>).</p> <p>1A.4 - Collate a database of pedestrian counts; and ensure pedestrian counts are included in all traffic studies undertaken.</p>
		Good access for whole community (elderly, prams, wheelchairs).	<p>Footpaths are difficult to use in many places particularly for mobility impaired and those with prams (e.g. lack of kerb ramps, trip hazards, driveways).</p> 	<p>Improving access for wheelchairs, mobility scooters, prams.</p> <p>Improvements are low cost compared to other modes.</p> <p>The Coastal Walk attracts millions of visitors every year.</p>	<p>1A.5 - Ensure all footpath and road works undertaken by Council improve pedestrian access and amenity. Create a set of standardised streetscape treatments to be applied to capital works and maintenance projects throughout the LGA, based on best practice streetscape design.</p> <p>1A.6 - Improve pedestrian access (for people walking using prams or wheelchairs) along the Coastal Walk including to Bronte Beach, through Bronte cutting, Notts Avenue, Waverley Cemetery and to nearby bus stops.</p>









#	TOPIC	OUTCOMES SOUGHT	KEY ISSUES IDENTIFIED	OPPORTUNITIES	ACTIONS
		<p>Improve road safety by including better facilities to physically separate transport modes.</p>	<p>Conflict issues between modes due to high traffic volumes in highly pedestrianised zones throughout the LGA.</p> 	<p>Greater connectivity can be achieved throughout the LGA (e.g. cul-de-sacs, site through-links, parks, strategic land acquisitions, developer agreements).</p>	<p>1A.7 – Review and reduce road speed limits throughout the LGA (e.g. max 30/40km/h).</p> <p>1A.8 - Ensure crossing points are provided on all sides of all intersections (e.g. roundabouts and signalised intersections) and crossing points and refuges are located mid-block at regular intervals on busier roads. Reduce the width of roadways at intersections and add raised pedestrian crossings particularly along the edges of major roads, near Schools and shops, near major bus stops, and at difficult intersections.</p> <p>1A.9 – Negotiate with RMS increased pedestrian crossing times within traffic light cycles at major intersections and along main pedestrian routes.</p> <p>1A.10 - Identify and investigate areas that require better pedestrian permeability with new links including and through small parks in Waverley. See also 1A.2.</p>
		<p>Improve community health and wellbeing, and social cohesion.</p>	<p>Many streets are unpleasant to walk along, due to loud traffic noise, lack of vegetation/shade, narrow footpaths, or hazards.</p>	<p>Council can undertake improvements to footpath facilities' quality and accessibility in conjunction with other roadworks at relatively low cost.</p>	<p>1A.11 – Provide information to the community about routes, benefits and opportunities for walking and cycling instead of driving, and encourage Businesses, Schools and Council employees to walk or ride to work/School.</p>
1B	<p>Cycling</p> 	<p>Increase mode share of cycling for short /medium trips.</p> <p>Improve community health and wellbeing, and social cohesion.</p> 	<p>People on bicycles are not prioritised compared to motor vehicles, resulting in higher motor vehicle use than necessary.</p> <p>Community perception of lack of safety discourages cycling. Community is not aware of safe cycle routes.</p>	<p>Opportunity to achieve greater connectivity throughout the LGA (e.g. cul-de-sacs, site through-links, parks, strategic land acquisitions, developer agreements).</p> <p>Council can undertake improvements to cycling facilities' quality and accessibility in conjunction with other roadworks at relatively low cost.</p> <p>Cycling is good for tourism and retail. There is growing interest and uptake of cycling in Australia and the inner Sydney area.</p>	<p>1B.1 – Investigate options for a network of "Cycling Superhighways" (Signature Project 11).</p> <p>1B.2 – Continue to implement Waverley Bike Plan 2013. Re-assess the whole LGA and identify the key locations and routes within the LGA. This would include an audit of existing conditions, a GIS study of topography, cadastre and land ownership, a strategy for improving rideability, and specific actions in addition to those in the Waverley Bike Plan.</p> <p>1B.3 - Collate database of bicycle counts; and measure bicycle counts in all traffic studies undertaken.</p> <p>1B.4 - Map priority routes across LGA, connecting key origins and destinations, for each transport mode to clarify where mode separation is feasible; in particular, identify</p>




#	TOPIC	OUTCOMES SOUGHT	KEY ISSUES IDENTIFIED	OPPORTUNITIES	ACTIONS
		Improve road safety.	<p>The current network forces all modes of traffic including cycling to share arterial routes with no separation or prioritisation.</p> <p>Minimal clearly defined off-road cycle route in strategic locations to promote cycling as a travel mode for work and recreation.</p>	<p>Greater traffic permeability would be created by increasing the number of north-south oriented connections.</p> <p>Separating and prioritising modes improves travel times and convenience for all modes.</p>	<p>continuous cycling routes separated from private vehicle traffic.</p> <p>1B.5 - Ensure all footpath and road works undertaken by Council improve bicycle rider access and amenity. See also 1A.5.</p> <p>1B.6 – Identify and investigate areas that require better pedestrian and cycle permeability and investigate possibilities for new links.</p>
		<p>Increase cycling participation amongst women, older riders and families.</p> <p>Improve localised cycling network accessibility.</p>	<p>Lack of connected, completed network for cycling safely, comfortably and conveniently. Potential routes are difficult to navigate and are not completed, due to topography, major roads, lack of through-streets, lack of crossing opportunities on major roads and intersections, lack of continuous back road opportunities. Key centres within Waverley are not connected by continuous safe cycle routes.</p> <p>Lack of bicycle parking.</p>	<p>Improving access for bicycles also improves access for wheelchairs, mobility scooters, prams increasing usage for short trips.</p> <p>Opportunity to improve attractiveness of cycling between major local centres with redevelopment including strategic off-road cycle routes.</p> <p>Electric assist bicycles, and bike-share systems, are growing in popularity globally and can reduce demand for parking.</p>	<p>1B.7 - Install bicycle parking, in line with <i>Waverley Bike Plan</i> recommendations (secure parking, street parking) at shops, Schools, businesses, strata buildings and bus stops.</p>
		Overcome adverse terrain for bicycle riders across the LGA.	Adverse terrain for bicycle riders across the LGA. Such as steep inclines.	<p>Opportunities to encourage cycling (to work and recreationally) through various bike schemes and improved cycle parking availability in major hubs.</p> <p>Secure bicycle parking at Bondi Junction Interchange could improve the attractiveness of both cycling and public transport modes.</p>	<p>1B.8 - Investigate potential bike-share scheme with electric-assist bicycles; and improved bike parking. (Signature Project 6).</p> 
1C	Public Transport	Increase mode share of public transport.	Bus routes may not be along the most effective route. Some bus stops are poorly	Already very high use of public transport; with many bus routes and regular	1C.1 - Review Bondi Junction Interchange, in partnership with TfNSW, to ensure maximum pedestrian legibility and

#	TOPIC	OUTCOMES SOUGHT	KEY ISSUES IDENTIFIED	OPPORTUNITIES	ACTIONS
		Improve bus routes and stop accessibility for all users.	<p>located (difficult to access, too close together or too far apart).</p> <p>Poor bus stop amenity such as way-finding, lack of shelter (especially summer shading), poor/no information, and no route signage.</p> 	<p>services. This can be further leveraged through improved access, more services and greater reliability (e.g. prioritised lanes, and bus-first signals at intersections), increasing the competitiveness of public transport.</p>	<p>accessibility, better customer convenience, more efficient bus movement, and clearer interchangeability between train and bus services.</p> <p>1C.2 - Review pedestrian access to bus stops especially for people with impaired mobility and with prams.</p> <p>1C.3 – Review bus stop amenity for provisions particularly summer shading, and travel information.</p> <p>1C.4 – Investigate with TfNSW options for real time information to be provided in bus stops.</p>
		<p>Efficient, reliable bus services. Including better connections between local centres and cross-LGA services.</p> <p>Easy and convenient access to public transport for people of all abilities.</p> <p>Bus routes serve trips within the LGA, especially with better north-south connections.</p>	<p>Numerous inefficient local bus routes travelling between local centres in Waverley, due to the large number of services that have to pass through Bondi Junction and minimal direct “local centre to local centre” services.</p> <p>The current network forces all modes of travel to share arterial routes, with no mode separation or prioritisation.</p> <p>There are limited direct north-south bus routes, with most passing through Bondi Junction. This reduces the directness of routes and significantly increases travel times compared to cars.</p> <p>Limited bus routes connecting Bondi Beach and Edgecliff Station via Rose Bay Wharf causes increase travel time and multi-stop transfers to travel between Rose Bay Wharf and Bondi Beach.</p>	<p>Changes to fare structures will reduce cost of bus/ train journeys (by \$2 per fare). Improved access to Greater Sydney can be achieved via Bondi Junction Interchange.</p> <p>Opportunities to provide improved links for localised bus services. (i.e. Bondi Beach to Rose Bay via O'Sullivan and Curlewis Street; North-South Link from Dover Heights to Charing Cross; and bus priority extended from Old South Head into Oxford Street southbound).</p> <p>Improve the directness of public transport connections.</p> <p>Discussions with TfNSW to consider new routes improving links between Rose Bay Wharf and Bondi Beach improving public transport network connectivity and improving travel times.</p>	<p>1C.5 - Lead investigations and partner with TfNSW to determine main trip generators and suitable locations for more direct bus routes.</p> <p>1C.6 - Lead investigations and partner with TfNSW to design and construct bus priority lanes.</p>  <p>1C.7 - Discuss with TfNSW opportunities to improve bus connections between Rose Bay Wharf and Bondi Beach. For example:</p> <ol style="list-style-type: none"> <li>1. new connection via Dover Road, Old South Head Road and Curlewis Street;</li> <li>2. extension of route 382 from North Bondi via Military Road, Blair Street, Murrivier Road, Old South Head Road, and Newcastle Street;</li> <li>3. extension of route 382 from North Bondi via Military Road, Blair Street, Murrivier Road, Liverpool Street and New South Head Road;</li> </ol>



#	TOPIC	OUTCOMES SOUGHT	KEY ISSUES IDENTIFIED	OPPORTUNITIES	ACTIONS
		<p>A clear public transport network with key priority spines.</p> <p>Public transport travel times competitive with private vehicle times.</p>	<p>Travel times for public transport need to reduce to provide a more realistic choice of mode for travellers. Buses are delayed by traffic, causing both unreliability and increased travel times.</p> <p>Limited road capacity for public transport along key corridors.</p> 	<p>Higher capacity public transport less affected by traffic congestion will provide a more reliable alternative for many trips.</p> <p>Connections between the northern and southern areas in Waverley can be improved for all modes of transport.</p> <p>Concentrating land use development within activity centres and along public transport corridors can land use development can increase the percentage of residents with good public transport accessibility.</p>	<p>4. modify routes 323 and 380 and include a transfer stop at Caffyn Park; or</p> <p>5. including Edgecliff station as part of modifying or developing new connections.</p> <p>1C.8 – Investigate Bondi Junction to Bondi Beach light rail or bus priority scheme, partnering with TfNSW. (Signature Project 2)</p> <p>1C.9 – Develop Old South Head Road (Bondi Junction to Curlewis Street) bus priority scheme. (Signature Project 5)</p> <p>1C.10 - Develop Bronte Road Bus Priority Scheme and improve pedestrian access to major bus stops (e.g. St Catherine's School). (Signature Project 5)</p> <p>1C.11 – Investigate urban renewal opportunities that have the potential to lead to improvements along the three corridor sections being proposed for bus priority or light rail.</p> <p>1C.12 – Investigate extension of heavy rail or Metro through eastern suburbs from Martin Place to Bondi Junction with additional connections at Bondi Beach, Randwick, Green Square / Airport.</p>
1D	<b>Service vehicles</b> 	<p>Ensure goods vehicles, service vehicles and emergency vehicles have reasonable, efficient access to undertake their required activities.</p> <p>Minimise negative impacts of vehicle movements, and driveways.</p>	<p>There are many conflicting demands for road space and parking.</p> <p>Access for goods vehicles, service vehicles and emergency vehicles is important to ensure that businesses and community services can operate efficiently and effectively.</p>	<p>Technology is allowing kerbside space to be more reactively allocated for different purposes at different times of the day and service delivery can be managed with access times outside of peak hours particularly in the more constrained centres of Bondi Junction and Bondi Beach.</p>	<p>1D.1 – Audit and identify all kerbside allocation for service vehicles and rationalise spaces were possible.</p> <p>1D.2 – Investigate source of users (i.e. taxi, Uber) and locate ranks for taxi and car share in the most convenient locations at appropriate times.</p> 
1E	<b>Private vehicle</b>	<p>Reduce mode share of private motor vehicles.</p>	<p>Traffic congestion is an outcome of a high reliance on motor vehicles. It can be partly contained through demand management (e.g. providing other transport options) and</p>	<p>Residents travel fewer kilometres by car than in other parts of Sydney. This trend</p>	<p>1E.1 – Continue to constrain the growth in private vehicles by capping the supply of parking in Bondi Junction and Bondi Beach in tandem with improvements to other modes.</p>

#	TOPIC	OUTCOMES SOUGHT	KEY ISSUES IDENTIFIED	OPPORTUNITIES	ACTIONS
	<b>traffic network</b> 	<p>Reduce the need to use private motor vehicles, particularly for short trips by providing more realistic alternatives to use instead.</p>	<p>improving supply (e.g. addressing bottlenecks/ pinch points) but cannot be removed all together.</p> <p>Heavy reliance on private motor vehicles causes problems for the whole community. It creates traffic congestion, delays public transport, reduces equitable access for people/services most in need, increases sedentary lifestyle behaviour, causes road safety hazards and creates pollution.</p>	<p>should be leveraged to further reduce car ownership and usage.</p> <p>The increasing popularity of car share schemes and driverless vehicles will continue to lower rates of private vehicle ownership and usage.</p>	<p>1E.2 – Research how disruptive technologies, autonomous vehicles and increasing vehicle-sharing will change traffic and parking needs in Waverley.</p>
		<p>Road access is prioritised for the highest and best uses (e.g. bus services, emergency access).</p>	<p>Current networks typically force all modes of transport to share the same routes, with limited mode separation or prioritisation. The current traffic network has limited permeability in most areas.</p> 	<p>Policies that improve options for other transport modes (walking, cycling, public transport) and limit supply (parking, travel lanes) can help reduce overall demand for private vehicle usage.</p> <p>Development of more north-south routes/connections encourages local traffic to avoid major arterial routes and reduces conflicts with through traffic, at key intersections.</p>	<p>1E.3 - Review existing one-way streets, cul-de-sacs, slip lanes, etc. to identify where changes will improve permeability and thereby reduce traffic conflicts.</p> <p>1E.4 – Develop a logical functional road hierarchy in accordance with <i>Austroads Guide to Road Design Part 2 – Table 2.3: Urban road functional classification</i> and access management strategy also considering where other transport modes need priority.</p>
		<p>Traffic flows consistently through the network without specific pinch points constraining traffic.</p>	<p>Traffic congestion issues are exacerbated by a number of pinch points across the traffic network. Some traffic intersections have reached saturation point, where it is difficult to increase the number of vehicles flowing through the intersection.</p> <p>These locations are where delays are far more significant than other locations, creating a “bottleneck” which generates inconsistent levels of service across the network.</p> 	<p>Reducing the number of approaches at large intersections and relocating some turning movements would improve the capacity of some existing pinch point intersections across Waverley.</p>	<p>1E.5 - Identify and map congestion pinch points and areas of safety concern. Lead investigations and partner with RMS to undertake improvements as part of critical pinch point investigations and infrastructure planning.</p> <p>1E.6 - Remove or realign intersection approaches to ensure no more than four approaches to every intersection in Waverley to better prioritise available green time to key movements and for pedestrian safety.</p>

#	TOPIC	OUTCOMES SOUGHT	KEY ISSUES IDENTIFIED	OPPORTUNITIES	ACTIONS
1F	<b>Off-street parking</b> 	Manage on-street traffic congestion.	<p>Restricted off-street parking supply encourages on-street parking. Residential parking permits, further add to restricted availability of on-street parking.</p> <p>Waverley's centres have evolved with at grade or on-street parking. The value of land now makes additional off street parking very expensive to create and on-street space is full.</p> <p>Including off-street parking in development increases the cost of providing and purchasing housing.</p>	<p>There is lower car ownership than Greater Sydney across Waverley.</p> <p>There are existing off-street car parks that are underutilised and existing technologies exist to direct drivers to these locations.</p> <p>New development particularly commercial/retail development can provide public off-street parking where desirable (e.g. Bondi Beach).</p> <p>Off-street parking can be converted to other purposes (e.g. self-storage, bike parking) when no longer needed as the centre evolves and more "walk by" trade is available to replace "drive in" trade.</p>	<p>1F.1 – Audit off-street car parking availability and policies to determine where there are underutilised parking bays; and how these can be better used (e.g. leasing, storage, car share).</p> <p>1F.2 – Encourage new car parking to be convertible to other purposes in the future (e.g. self-storage, bike parking, share cars).</p> <p>1F.3 - Continue policies that limit off-street parking in new developments (through DCPs) and further restrain the availability of on-street parking permits in locations where alternative travel modes are feasible.</p> <p>1F.4 – Modify planning policies to disconnect the provision of car parking from apartment purchases in new developments so that those who don't need a car space do not have to pay for one.</p> <p>1F.5 – Support and encourage the installation of electric vehicle (car and bicycle) charging points, particularly in areas of medium-high density residential and commercial development and/or shared vehicles.</p>
1G	<b>On-street parking</b> 	Reduce the need (demand) for on-street parking.	<p>There are many demands for the street space taken by on-street parking:</p> <ul style="list-style-type: none"> <li>- Parking for existing nearby residents (long term permits), people running errands (e.g. shopping, School drop off), and visitors to the area.</li> <li>- Traffic-related uses (bus priority, improved traffic flow, road safety improvements, cycle paths, widened footpaths).</li> <li>- Other uses (vegetation, trees, public space, al fresco dining).</li> </ul>	<p>Council amalgamations provide an opportunity to review parking policies; particularly beach parking permits.</p> 	<p>1G.1 – Introduce/extend on-street pay parking and permits in areas of high demand to ensure turnover of parking.</p> <p>1G.2 – Investigate how to re-direct pay-parking income directly back to the local community in which it is charged.</p>



#	TOPIC	OUTCOMES SOUGHT	KEY ISSUES IDENTIFIED	OPPORTUNITIES	ACTIONS
		Reserve/improve on-street parking for the highest and best uses (e.g. bus priority, emergency access, loading for businesses, wider footpaths, separated cycleways or landscaping).	Parking permits for residents are relatively cheap and the permit mechanism is not sending appropriate signals on the value of street space being occupied, contrary to Council's long term aim of reducing vehicle ownership and vehicle usage.	<p>Share cars can take up to nine privately owned vehicles off the street, and are increasing in popularity.</p> <p>Bike share schemes can also reduce demand for on-street car parking.</p> <p>Prioritise key on-street uses for various demand zones (i.e. bus zones in centres, on-street parking permits in residential only).</p>	<p>1G.3 - Restrict the availability of beach and residential parking permits for more than one vehicle, consider methods to introduce "market price" for beach parking permits. Continue to provide limited concessions where appropriate (on-duty beach patrol officers, carers, pensioners, electric cars).</p> <p>1G.4 – Actively encourage the number and availability of parking for share cars throughout the LGA to achieve an 10% increase in car share spaces per annum.</p> <p>1G.5 – Investigate "next generation" sharing schemes for cars/ motorbikes/ electric bikes etc. and how Council can accelerate innovation and change.</p> <p>1G.6 – Roll-out public charging infrastructure for electric vehicles (EVs), starting in high profile public locations.</p>

## 7. DETAILED ACTION PLANS

This chapter sets out detailed action plans of significance for key centres in the Waverley LGA. The actions outlined aim to improve transport choice for residents, employees and visitors to each centre. Some initiatives may require state government assistance because of jurisdictional or funding issues.

Figure 7.1 provides an overview of the locations of each centre “zone” within Waverley that contains actions specific to its local area. Summaries of each centre’s action plans are in following sections.

- *Section 7.1 - Bondi Junction;*
- *Section 7.2 - Bondi Beach;*
- *Section 7.3 - Bondi Road; and*
- *Section 7.4 – Charing Cross.*




Figure 7.1: Centre Zone Strategies - Location Map



## 7.1 BONDJ JUNCTION

Figure 7.2 below displays actions within Bondi Junction that are applied to specific locations.











Figure 7.2: Bondi Junction Actions Map





The following table outlines key issues, opportunities and actions identified for the Bondi Junction area.

#	TOPIC	KEY ISSUES IDENTIFIED	ACTIONS – BONDI JUNCTION
2A	<b>Walking</b>  	<p>Routes are difficult to navigate and are not well connected due to topography, major roads and lack of crossing opportunities on major roads and intersections.</p> <p>Insufficient time allocated for pedestrians to cross at signalised intersections.</p>  <p>Lack of space for pedestrians on footpaths.</p> <p>Pedestrian routes are not legible or signed.</p>	<p>2A.1 – Undertake land ownership heritage and other issues to identify strategic opportunities for planning agreements and/or purchase/lease areas for new routes to improve connectivity wherever possible.</p> <p>2A.2 – Reduce road speeds throughout Bondi Junction – e.g. maximum 30km/hr and consider “shared space” (10km/hr) at key points (e.g. Waverley Street).</p> <p>2A.3 – Ensure pedestrian crossing points on all sides of all intersections.</p> <p>2A.4 – Investigate increasing pedestrian crossing phase times at the most pedestrianised intersections, as well as the potential for scramble crossings.</p> <p>2A.5 – Undertake “Walkability Audit” of pedestrian access points to Bondi Junction (outside of Complete Streets area) to assess footpath quality and width, pedestrian routes, difficult or dangerous intersections, conflicts with driveways and loading docks and in areas of high pedestrian activity. Prepare action plan (PAMP) accordingly. (Signature Project 4).</p> <p>2A.6 – Ensure all footpath and road works undertaken by Council are aimed at improving pedestrian access and amenity – e.g. widen footpath, crossovers where they are able to be easily incorporated into projects. See also A1.5.</p> <p>2A.7 – Use landscape treatments (e.g. paving, bollards, no kerbs, vegetation) to clearly indicate streets with pedestrian or cycle priority to discourage through traffic and speeding.</p>
2B	<b>Cycling</b>  	<p>Routes are not well connected due to topography, major roads, lack of through-streets, lack of crossing opportunities on major roads and intersections.</p>	<p>2B.1 – Undertake a “Rideability Audit” for cycle access quality, access to key locations (e.g. Schools, bus stops, shops), problem intersections. Audit would focus on areas surrounding cycle routes outlined in the Waverley Bike Plan and new potential links.</p> <p>2B.2 – Undertake GIS study of topography and land ownership to identify strategic opportunities for planning agreements and/or purchase/lease areas for new routes to improve connectivity wherever possible.</p> <p>2B.3 – Provide separated cycleways along routes of high demand, in particular the six priority routes outlined within the Waverley Bike Plan 2013. (Signature Project 11)</p>

#	TOPIC	KEY ISSUES IDENTIFIED	ACTIONS – BONDI JUNCTION
		<p>Lack of connected, completed network for cycling safely, comfortably and conveniently.</p> <p>Bondi Junction has very high mode share of bicycle riding, and therefore requires separated, high quality cycle paths.</p> <p>Lack of bicycle parking at key locations.</p> 	<p>2B.4 – Provide signage along key pedestrian and cycle routes, especially way finding to Bondi Junction Interchange. Signage provision should be in line with the Waverley Bike Plan 2013.</p> <p>2B.5 – Ensure all footpath and road works undertaken by Council are aimed at improving cycle access and amenity – e.g. off-road paths, crossovers. See also A1.5.</p> <p>2B.6 – Construct Oxford Street and Spring Street cycleway through Bondi Junction.</p> <p>2B.7– Install better bicycle access to Bondi Junction Interchange and aim for a substantial increase in secure bicycle parking facilities commensurate with potential demand.</p>
2C	<b>Public Transport</b> 	<p>Some bus stops poorly located (difficult to access, too close or too far apart).</p> <p>Poor legibility for pedestrian access to transport interchange especially for infrequent travellers.</p> <p>Poor legibility for infrequent travellers arriving by train to change to bus route to Bondi Beach.</p> <p>Bus/train interchange is poorly designed with pedestrian conflicts at the exit/entry on Grosvenor Street. Very poor connection between the street level, the bus concourse and the train station for pedestrians especially the mobility impaired. Limited facilities for bicycle parking or kiss+ride.</p> <p>Lack of bus priority on major routes when entering Bondi Junction area. Particularly leading into Bondi Junction interchange and connecting to the "Bus Only" route on Oxford Street.</p>	<p>2C.1 –Review pedestrian access to bus stops especially for people with impaired mobility and prams, to maximise catchment and accessibility of bus stops whilst maintaining/improving efficiency and reliability of bus services.</p> <p>2C.2 – Investigate improvements to public transport accessibility information provided in the area for infrequent visitors from various cultures including signage, wayfinding and real time transport information.</p> <p>2C.3 – Lead investigations and partner with TfNSW to plan an overhaul of Bondi Junction interchange and the bus layover station on Oxford Street including approaches and pedestrian interfaces. (Signature Project 1). Aim to ensure maximum pedestrian accessibility, customer convenience and operation of bus services (in partnership with TfNSW, Sydney Buses and RMS).</p> <p>2C.4 – Improve the kiss+ride facilities at Bondi Junction.</p> <p>2C.5 – Investigate bus priority options along all approaches to Bondi Junction Station, including Old South Head Road, Bronte Road and Oxford Street.</p>

#	TOPIC	KEY ISSUES IDENTIFIED	ACTIONS – BONDI JUNCTION
		<p>Limited or unclear Public Transport information available to the public regarding to bus stop locations. Exacerbated by a lack of bus stops in some areas.</p> 	
2D	<b>Private vehicles traffic network</b>  	<p>Pinch point intersections at each end of Syd Einfeld Drive limit access and causes this route to be underutilised.</p> <hr/> <p>Syd Einfeld Drive has a freeway road environment inconsistent with adjoining roads and areas.</p> <hr/> <p>Heavy reliance on motor vehicles resulting in congestion. However, the local area itself has a much lower car ownership than Greater Sydney, and there has been no net increase in car ownership for more than a decade.</p> <p>Northbound traffic from south of Bondi Junction headed for the CBD often “rat runs” through the Bondi Junction centre creating conflict between local traffic and through traffic within Bondi Junction.</p> <p>Through traffic is directed close to the commercial centre creating conflicts and increasing congestion.</p>	<p>2D.1 – Continue negotiating with RMS regarding on and off ramps off Syd Einfeld Drive at Newland Street providing direct access to Bondi Junction for bus routes and/or general traffic (Signature Project 8).</p> <p>The intersections at each of Syd Einfeld Drive should be reconfigured (i.e. at the intersection with Old South Head Road and at the intersection with York/Ocean/Oxford Street). The pedestrian overpass over Syd Einfeld should also be improved.</p> <hr/> <p>2D.2 – Investigate and implement measures that better align with an urban arterial road environment such as traffic speeds, lane and shoulder widths, verge areas, etc. in coordination with Complete Streets.</p> <hr/> <p>2D.3 – Investigate and implement strategies/methods of encouraging traffic to avoid the Bondi Junction centre. For example, re-route traffic by signing and providing turn priority of Ebley Street and Denison Street instead of at Newland Street and reviewing Bronte Road/Birrell Street usage. (Signature Project 8).</p>



#	TOPIC	KEY ISSUES IDENTIFIED	ACTIONS – BONDI JUNCTION
		<p>There is a lack of a clear alternative route that is fast and efficient past the Bondi Junction centre (from south to west).</p> <p>A low level of service at the Avoca Street/Darley Road/York Road intersection due to high levels of congestion in peak periods creates conflict between buses, local traffic and through traffic.</p> <p>Northbound traffic from southern areas, such as Randwick, must travel through the Bondi Junction centre when travelling towards the west, adding to congestion within the centre and at major intersections surrounding it.</p>	
2E	Off-street parking	<p>Lack of right turn options out of major off-street car parking stations (especially Eastgate) creates congestion points, and directs traffic circuitously through the centre increasing distances to be travelled, and therefore congestion.</p>	2E.1 – Investigate and identify opportunities for right-turn and U-turn implementation for vehicles exiting Car Parks within the centre. (Signature Project 8)
		<p>Circulating vehicles cause additional congestion and conflict with other modes of transport.</p> <p>When entering Bondi Junction there is confusion regarding parking availability in the centre, particularly around the station.</p>	<p>2E.2 – Investigate a dynamic car parking guidance scheme. This may include “app” based and/or variable message sign methods (in conjunction with Signature Project 7).</p> <p>2E.3 - Reinstate DCP 'zero minimum' and capped maximum car parking rates for new developments.</p>
2F	On-street parking	<p>Absence of an on-street parking hierarchy considering parking duration and purpose to provide a basis for allocating durations of stay, vehicle-types allowed and pricing.</p>	2F.1 – Develop a parking hierarchy for on-street parking space in Bondi Junction and audit existing parking types against the hierarchy.
			



## 7.2 BOND BEACH

Figure 7.3 below displays actions within Bondi Junction that are applied to specific locations.








Figure 7.3: Bondi Beach Actions Map

The following table outlines key issues, opportunities and actions identified for the Bondi Beach area. It is important to note that some actions are only possible as part of any future redevelopment of the Bondi Beach area.

#	TOPIC	KEY ISSUES IDENTIFIED	ACTION AREAS – BONDI BEACH
3A	<b>Walking</b> 	<p>Takes too long for pedestrians to cross Campbell Parade. Insufficient space for pedestrians on footpaths. Campbell Parade is highly exposed to morning sun in summer making it unpleasant for shopping, cafes, and waiting for public transport.</p> <hr/> <p>Poor pedestrian connectivity between Bondi commercial area and the Bondi Beach, major attractors (i.e. Beach and Shops) in Bondi Beach.</p> <hr/> <p>The high traffic volumes entering Bondi Beach conflicts with the high pedestrian volumes, particularly at the Campbell Parade roundabout.</p> <hr/> <p>The current intersections at entry points to Bondi Beach creates a consistent traffic flow along Campbell Parade limiting opportunities for pedestrians attempting to cross. Millions of people a year use the Coastal Walk. There is only limited access for prams and wheelchairs.</p>	<p>3A.1 – Ensure pedestrian crossing points on all sides of all intersections on Campbell Parade.</p> <p>3A.2 – Widen footpaths along Campbell Parade and directly adjacent streets, including median widening on Campbell Parade. Completed in conjunction with Action 3A.4 and Action 3A.7. Provide shade treatments including tree planting.</p> <p>3A.3 – Convert Gould Street to a pedestrian priority zone, continuing existing pedestrian links and as a sheltered connection to Hall Street.</p> <hr/> <p>3A.4 – Implement a Campbell Parade “Traffic Calming and Pedestrianisation” scheme (Signature Project 9):</p> <ul style="list-style-type: none"> <li>- Reduce Campbell Parade to 1 lane in each direction for general traffic, plus 1 lane for bus priority and a separated cycleway;</li> <li>- Increase pedestrian connectivity by removing the Campbell Parade pedestrian fence, widening the median and installing raised crossing points; and</li> <li>- Provide more allocated bus and taxi zones along Campbell Parade using the space created.</li> </ul> <p>3A.5 – Use landscape treatments (e.g. paving, bollards, no kerbs, vegetation) to clearly indicate streets with pedestrian or cycle priority to discourage through traffic and speeding.</p> <hr/> <p>3A.6 – Reduce road speeds throughout the Bondi Beach area.</p> <hr/> <p>3A.7 – Investigate removal of the Campbell Parade southern roundabout and implementing a signalised intersection in its place (with U-turn provisions in a wide central median). (Signature Project 9)</p> <p>3A.8 – Improve pedestrian access along the Coast Walk including wider footpaths along Notts Avenue (as per Bondi Park, Beach and Pavilion Plan of Management).</p>
3B	<b>Cycling</b> 	<p>Bondi Beach has very high mode share of bicycle riding, and would benefit from separated, high quality cycle paths along key routes.</p> <hr/> <p>Lack of bicycle parking at key locations.</p>	<p>3B.1 – Provide separated cycleways along routes of high demand (e.g. Campbell Parade) and to key locations nearby (e.g. Rose Bay wharf, Bondi Junction, coastal ride).</p> <p>3B.2 – Undertake a detailed study on the potential of an e-bike share scheme anchored in Bondi Beach. (Signature Project 6)</p> <hr/> <p>3B.3 - Provide bicycle parking facilities in Hall Street, along Campbell Parade and adjacent to the beach.</p>
3C	<b>Public Transport</b>	<p>Some bus stops poorly located (difficult to access, too close or too far apart). Appropriate bus stops difficult to find for infrequent users – hard to know which routes use which stops.</p>	<p>3C.1 – Lead investigations and partner with TfNSW to improve bus priority lanes and review bus stop locations including Campbell Parade bus operations and the bus terminus at North Bondi.</p> <p>3C.2 – Provide shading at Campbell Parade bus stops.</p>



#	TOPIC	KEY ISSUES IDENTIFIED	ACTION AREAS – BONDI BEACH
		<p>Bus stops in Campbell Parade are exposed to hot summer sun and wind.</p> <p>Buses caught in traffic, reducing reliability and increasing travel times.</p> <p>Tourist buses in conflict with public transport buses at bus stop locations causing delays.</p> <p>Limited bus/taxi zones for pick-up and drop-off.</p> <p>Limited or unclear Public Transport information regarding bus stop locations. Exacerbated by a lack of bus stops in some areas.</p> <p>Lack of direct and efficient bus route connection between major public transport nodes Bondi Beach and Rose Bay Ferry Wharf.</p>	<p>3C.3 – Provide public transport way finding signage throughout Bondi Beach and real time information at bus stops.</p> <p>3C.4 - Allocate tourist bus stops away from public bus stops.</p> <p>3C.5 – Investigate potential routes for a more direct public transport connection between Rose Bay Wharf and Bondi Beach. Connections could be made as part of redevelopment or within the existing network.</p> <p>3C.6 – Review location and operations of North Bondi bus terminus.</p>
3D	<b>Private vehicles traffic network</b>  	<p>Heavy traffic at times for through movements as well as for parking access on weekends and summer days.</p> <p>Poor north-south connectivity across all modes of transport through Bondi Beach Basin due to one-way streets and constrained areas causing conflicts and forcing traffic to circulate on arterial routes.</p>	<p>3D.1 – Investigate the most appropriate locations for north-south links for private vehicles and bicycles/pedestrians within the Bondi Beach Basin and establish planning requirements as part of any redevelopment (possibly as laneways).</p> <p>3D.2 – Identify strategic opportunities to reduce circulating traffic (e.g. searching for parking).</p> 

#	TOPIC	KEY ISSUES IDENTIFIED	ACTION AREAS – BONDI BEACH
3E	<b>Off-street parking</b> 	Inefficient traffic circulation when looking for car spaces increases congestion levels. Circulating traffic also causes conflicts with active transport in the key pedestrian zones around Campbell Parade and Hall Street.	<p>3E.1 – Investigate the potential for alternative off-street car parking stations and to remove the Queen Elizabeth Drive/Campbell Parade parking on the beach. (Signature Project 9).</p> <p>3E.2 – Provide “real time information” on the availability and location of car parking (similar to Westfield) including online so that potential visitors can better plan their trip to Bondi Beach or seek alternatives (such as public transport, cycling, bike-sharing or walking).</p>
3F	<b>On-street parking</b> 	Parking space is not seen as a limited resource, but should be. As a limited resource it should be priced and managed such that its utilisation is maximised.	<p>3F.1 – Undertake a feasibility study for a variable priced on-demand parking scheme with parking availability guidance information as part of the scheme. (Signature Project 7).</p> <p>3F.2 - Install electric vehicle charging at high profile locations (e.g. Bondi beachfront).</p> <p>3F.3 - Review beach parking permit schemes (see also 1G.3).</p>



## 7.3 BONDI ROAD CORRIDOR

Figure 7.4 below displays actions within Bondi Road Corridor that are applied to specific locations.













Figure 7.4: Bondi Road Corridor Actions Map



The following table outlines key issues, opportunities and actions identified for the Bondi Road corridor area.

#	TOPIC	KEY ISSUES IDENTIFIED	ACTION AREAS – BONDI ROAD CORRIDOR
4A	<b>Walking</b> 	<p>Lack of pedestrian facilities along the Bondi Road Corridor including narrow footpaths and the limited number of crossing locations for the high number of pedestrians in the area.</p>	<p>4A.1 – Improve east-west and north-south pedestrian access along and across Bondi Road, for example by widening footpaths, and reviewing pedestrian crossings and signalised intersections. Where smaller streets meet Bondi Road, install raised pedestrian crossings.</p>  <p>4A.2 – Remove left-turn slip lane at the intersection of Denham Street and Bondi Road. Replace with outdoor seating, vegetation, shade and upgraded bus stop.</p>
4B	<b>Cycling</b> 	<p>Bondi Road lanes are narrow with high volumes of motor traffic and buses making cycling difficult.</p>	<p>4B.1 – Investigate new cycle path development opportunities either side of Bondi Road (including potentially through private property/development sites as redevelopment occurs). Done in conjunction with Actions 4E and 4F.</p> <p>4B.2 – Investigate installing a separated cycle lane along Bondi Road (e.g. 1-way uphill only, 1-way both directions or bi-directional).</p> <p>4B.3 – Identify locations of bicycle parking and maintenance facilities along Bondi Road at the front and (potentially with redevelopment) to the rear of shops.</p>

#	TOPIC	KEY ISSUES IDENTIFIED	ACTION AREAS – BONDI ROAD CORRIDOR
4C	<b>Public Transport</b> 	<p>Buses caught in traffic, reducing reliability and increasing travel times.</p> <p>High demand for travel along this route is not catered for with high capacity public transport.</p>	<p>4C.1 – Continue investigations in partnership with TfNSW of alternative high-capacity public transport between Bondi Junction and Bondi Beach, such as a light rail connection or bus priority measures. (Signature Project 2).</p> <p>4C.2 – Investigate the implementation of a dedicated bus transit lane as part of a <i>Dynamic Lane Management</i> system along Bondi Road. Where Intelligent Transport Systems (ITS) are used to create “peak traffic direction” bus transit lane as a third lane during peak traffic times. The <i>Bondi Road Corridor Transport Strategy</i> (Parsons Brinckerhoff - 2016) provides some initial detail on the benefits and issues surrounding this strategy.</p> <p>4C.3 – Investigate the consolidation of bus stops along the Bondi Road Corridor.</p>
4D	<b>Private vehicles traffic network</b> 	<p>There is a current lack of clear north-south connectivity between local streets.</p> <p>North-south routes do not align across Bondi Road, forcing traffic to “dog leg” or circulate within the local network to travel north or south. This encourages vehicles to take small side streets in order to cross over or turn right at Bondi Road where traffic lights are already provided.</p>	<p>4D.1 – Investigate opportunities for north-south route realignments at intersections, e.g. include intersection realignment with redevelopment along Bondi Road at key intersection locations. Alternatively, change the operations of signalised intersections to better manage safety and flow of traffic, buses and pedestrians, taking into consideration the whole network of streets around Bondi Road.</p> 

#	TOPIC	KEY ISSUES IDENTIFIED	ACTION AREAS – BONDI ROAD CORRIDOR
		<p>Increasingly high levels of congestion during peaks is extending the peak traffic times outside typical peak time periods, with traffic affected before or after clearway periods.</p> <p>High levels of congestion along Bondi Road during weekend peak periods.</p>	<p>4D.2 – Extend “No Stopping” times to 7am – 10am and 4pm – 7pm weekdays, and introduce 10am – 2pm “No Stopping” on weekends in summer.</p> <p>4D.3 - Investigate opportunities to install additional or revised signalised intersections along the Bondi Road corridor and model their impacts and benefits with the preferred light rail or bus priority scheme.</p> 
4E	<b>Off-street parking</b> 	<p>Restricted and limited availability of off-street parking encourages on-street parking particularly outside of peak “No Stopping” zone times.</p>	<p>4E.1 – Encourage car parking space that can be converted to other purposes (e.g. self-storage, bike parking) and share car spaces in the future.</p> <p>4E.2 – Consider shared off-street parking facilities (potentially as car stackers) at the interface of the retail and residential areas along Bondi Road as redevelopment occurs. Associated with the development of a rear laneway strategy (Action 4F.1).</p>
4F	<b>On-street parking</b> 	<p>There is currently limited on-street and off-street parking availability along the Bondi Road corridor compared to parking demand.</p> <p>This is a conflict between residential and commercial traffic and parking demands near Bondi Road.</p> <p>Unrestricted parking in nearby streets makes it difficult to manage parking and use street space in order to meet other transport priorities.</p>	<p>4F.1 – Investigate the conceptual corridor redevelopment layout (i.e. rear laneway strategy in the Bondi Road Corridor - Signature Project 3) on either side of the Bondi Road corridor.</p> <p>4F.2 - Extend timed parking restrictions throughout the whole area near the Bondi Road corridor (may require extension of residential parking permit schemes or similar).</p>



## 7.4 CHARING CROSS

Figure 7.5 below displays actions within Charing Cross that are applied to specific locations.











Figure 7.5: Charing Cross Actions Map

The following table outlines key issues, opportunities and actions identified for the Southern Cluster of local centres.

#	TOPIC	KEY ISSUES IDENTIFIED	ACTION AREAS – SOUTHERN CLUSTERS
5A	<b>Walking</b> 	<p>High levels of through traffic in Charing Cross makes it difficult to access the area on foot, and reduces amenity.</p>	<p>5A.1 – Ensure pedestrian crossing points are provided on all sides of all signalised intersections.</p>
5B	<b>Cycling</b>  	<p>Limited safe access routes for children riding and walking to School.</p> <p>The cluster of Schools increases traffic during School drop off and pick up times, but also provides an opportunity to improve active travel and public transport for School.</p>	<p>5B.1 – Provide information and promote walking and cycling to School</p> <p>5B.2 – Investigate improved connections and routes for cycling and walking to Schools, including with any new development opportunities.</p>
5C	<b>Public Transport</b> 	<p>High levels of traffic using Charing Cross causes congestion and conflict between transport modes. This creates an environment that does not align with its local centre function that should promote public transport and active transport use.</p> <p>A large volume of buses traverse through Charing Cross connecting Bondi Junction with Randwick, Bronte, Clovelly, Coogee and the Airport. Buses should be prioritised along this key route.</p>	<p>5C.1 – Implement more Public and Active Transport priority infrastructure through Charing Cross. (Signature Project 10)</p>

#	TOPIC	KEY ISSUES IDENTIFIED	ACTION AREAS – SOUTHERN CLUSTERS
5D	<b>Private vehicles traffic network</b>  	<p>Lack of local network permeability forces traffic to circulate on major arterial roads encouraging high congestion levels or arterial roads and their approaches.</p> <p>Circulating traffic and lack of local street permeability also causes conflicts between local and through traffic movements at major intersections.</p> <p>The Birrell Street/Carrington Road intersection near Charing Cross has a poor level of service. Also, through traffic using Bronte Road conflicts with local traffic causing high levels of congestion in peak periods.</p>	<p>5D.1 – Review overall traffic effect of one-way and two-way streets and right turns and consider reconfiguration.</p> <p>5D.2 – Investigate priority through routes for traffic that do not conflict with local activity centre functions, i.e. along Carrington Road as the regional arterial connection to Syd Einfeld Drive.</p> <p>5D.3 – Discourage excessive through traffic along Bronte Road through the shopping strip through speed calming measures.</p> <p>5D.4 – Investigate layout improvements at the Carrington Road/Bronte Road intersection to reduce the number of signal phases required and provide some bus priority.</p>
5E	<b>Off-street parking</b>  	<p>Limited off-street parking in Charing Cross.</p>	<p>5E.1 – Review on-street and off-street parking provision and pricing.</p>
5F	<b>On-street parking</b>  	<p>High levels of parking demand and corresponding traffic congestion surrounds local Schools during peak pick-up and drop-off times. This is a particular issue during the PM “pick-up” times as parents park on-street or circulate within the network surrounding Schools for extended periods of time.</p> <p>This creates major conflicts between School-based traffic, local traffic and through traffic in the areas surrounding each School.</p>	<p>5F.1 – Investigate managed pick-up procedures (such as queue management areas and call-up procedures, possibly assisted by technology) at Schools. (Signature Project 12)</p> <p>5F.2 – Facilitate a Schools traffic working group to develop other strategies such as staggered times, shuttle buses, remote parking, “walking bus” programs etc.</p>



## 8. IMPLEMENTATION

### 8.1 TIMING CATEGORIES

The tables in this section outlines the recommended timing for signature projects and detailed actions under the categories of “Investigation/Feasibility” and “Project Implementation”. Timing has been allocated using the following categories:

S – Short term	(1-2 years)
M – Medium term	(3-5 years)
L – Long term	(6+ years)

Ordinarily, transport strategies have time frames of 1 – 20 years for action implementation. Much shorter timeframes have been recommended in this report given that the need for the recommended items is current/imminent. When determining the recommended timing for each signature project or action, a number of factors were considered including:

- whether or not land acquisitions may be required;
- the scale of the project or action;
- how high or low the cost of the project may be;
- stakeholders involved and depth to which they may need to be consulted in the process (i.e. Community consultation);
- whether surrounding Councils or TfNSW may be involved; and
- existing plans, projects and policies that are currently be under investigation or development at the time of this report.



## 8.2 SIGNATURE PROJECTS

Table 8.1: Signature Projects Implementation Timing

#	Signature Projects	Actions	Investigation/Feasibility	Project Implementation
1	Bondi Junction Transport Interchange	1C.1, 2C.3	S	M
2	Bondi Road Corridor Public Transport Priority	1C.8, 4C.1	S	L
3	Bondi Road Corridor – Laneway, Land Use and Parking Strategy	4B.1, 4C, 4E, 4F	S	L
4	LGA Wide Walking Strategy	1A, 2A, 3A, 4A, 5A	S	M
5	Bus Priority - Old South Head Road and Bronte Road	1C.10, 5C.1, 5D.4	M	L
6	Bicycle Share Scheme with "E-bikes"	1B.8, 3B.2	S	M
7	Dynamic Parking Management System	3F.1	S	L
8	Bondi Junction Centre	2D, 2E	M	M
9	Bondi Beachfront Area	3A.1, 3A.7, 3E.1	M	M
10	Charing Cross Village	5A, 5B, 5C	S	L
11	Cycling Superhighways	1B.1, 1B.2, 2B.3, 2B.6, 3B.1	M	L
12	Schools Active Transport Strategy	5A, 5B, 5F	S	M

S – Short term (1-2 years)

M – Medium term (3-5 years)

L – Long term (6+ years)

### 8.3 WAVERLEY LGA ACTIONS

Table 8.2: Whole of LGA Actions Implementation Timing

Mode	Whole of LGA Actions	Investigation / Feasibility	Project Implementation
Walking	1A.1 - Commit to placing walking, cycling and public transport at the top of transport hierarchy.	N/A	S
	1A.2 - Prepare a Walking Strategy for the whole LGA and identify the key locations and routes within the LGA. This would include an audit of existing conditions, a GIS study of topography, cadastre and land ownership, a strategy for improving walkability, and specific actions to undertake e.g. through PAMPs (Pedestrian Access and Mobility Plans). (Signature Project 4).	S	S
	1A.3 – “Crowdsource” community input on problem areas and potential solutions (e.g. with www.crowdspot.com.au).	N/A	S
	1A.4 - Collate a database of pedestrian counts; and ensure pedestrian counts are included in all traffic studies undertaken.	N/A	S
	1A.5 - Ensure all footpath and road works undertaken by Council improve pedestrian access and amenity. Create a set of standardised streetscape treatments to be applied to capital works and maintenance projects throughout the LGA, based on best practice streetscape design.	N/A	S
	1A.6 – Improve pedestrian access (for people walking using prams or wheelchairs) along the Coastal Walk including to Bronte Beach, through Bronte cutting, Notts Avenue, Waverley Cemetery and to nearby bus stops.	N/A	S
	1A.7 – Review and reduce road speed limits throughout the LGA (e.g. max 30/40km/h).	S	M
	1A.8 - Ensure crossing points are provided on all sides of all intersections (e.g. roundabouts and signalised intersections) and crossing points and refuges are located mid-block at regular intervals on busier roads. Reduce the width of roadways at intersections and add raised pedestrian crossings particularly along the edges of major roads, near Schools and shops, near major bus stops, and at difficult intersections.	M	M
	1A.9 – Negotiate with RMS increased pedestrian crossing times within traffic light cycles at major intersections and along main pedestrian routes.	S	M
	1A.10 - Identify and investigate areas that require better pedestrian permeability with new links including and through small parks in Waverley. See also 1A.2.	S	L
	1A.11 – Provide information to the community about routes, benefits and opportunities for walking and cycling instead of driving, and encourage Businesses, Schools and Council employees to walk or ride to work/School.	N/A	S
Cycling	1B.1 – Investigate options for a network of “Cycling Superhighways” (Signature Project 11).	N/A	S
	1B.2 – Continue to implement Waverley Bike Plan 2013. Re-assess the whole LGA and identify the key locations and routes within the LGA. This would include an audit of existing conditions, a GIS study of topography, cadastre and land ownership, a strategy for improving rideability, and specific actions in addition to those in the Waverley Bike Plan.	S	S
	1B.3 - Collate database of bicycle counts; and measure bicycle counts in all traffic studies undertaken.	N/A	S



Mode	Whole of LGA Actions	Investigation / Feasibility	Project Implementation
Cycling	1B.4 - Map priority routes across LGA, connecting key origins and destinations, for each transport mode to clarify where mode separation is feasible; in particular, identify continuous cycling routes separated from private vehicle traffic.	N/A	S
	1B.5 - Ensure all footpath and road works undertaken by Council improve bicycle rider access and amenity. See also 1A.5.	N/A	S
	1B.6 – Identify and investigate areas that require better pedestrian and cycle permeability and investigate possibilities for new links.	M	L
	1B.7 - Install bicycle parking, in line with Waverley Bike Plan recommendations (secure parking, street parking) at shops, Schools, businesses, strata buildings and bus stops.	M	M
	1B.8 - Investigate potential bike-share scheme with electric-assist bicycles; and improved bike parking. (Signature Project 6).	S	L
Public Transport	1C.1 - Review Bondi Junction Interchange, in partnership with TfNSW, to ensure maximum pedestrian legibility and accessibility, better customer convenience, more efficient bus movement, and clearer interchangeability between train and bus services.	M	L
	1C.2 - Review pedestrian access to bus stops especially for people with impaired mobility and with prams.	N/A	S
	1C.3 – Review bus stop amenity for provisions particularly summer shading, and travel information.	N/A	S
	1C.4 – Investigate with TfNSW options for real time information to be provided in bus stops.	S	M
	1C.5 - Lead investigations and partner with TfNSW to determine main trip generators and suitable locations for more direct bus routes.	M	M
	1C.6 - Lead investigations and partner with TfNSW to design and construct bus priority lanes.	S	M
	1C.7 - Discuss with TfNSW opportunities to improve bus connections between Rose Bay Wharf and Bondi Beach. For example: <ul style="list-style-type: none"> <li>new connection via Dover Road, Old South Head Road and Curlewis Street;</li> <li>extension of route 382 from North Bondi via Military Road, Blair Street, Murrivier Road, Old South Head Road, and Newcastle Street;</li> <li>extension of route 382 from North Bondi via Military Road, Blair Street, Murrivier Road, Liverpool Street and New South Head Road;</li> <li>modify routes 323 and 380 and include a transfer stop at Caffyn Park; or</li> <li>including Edgecliff station as part of modifying or developing new connections.</li> </ul>	S	M
	1C.8 – Investigate Bondi Junction to Bondi Beach light rail or bus priority scheme, partnering with TfNSW. (Signature Project 2)	M	L
	1C.9 – Develop Old South Head Road (Bondi Junction to Curlewis Street) bus priority scheme. (Signature Project 5)	S	M
	1C.10 - Develop Bronte Road Bus Priority Scheme and improve pedestrian access to major bus stops (e.g. St Catherine's School). (Signature Project 5)	S	L
	1C.11 – Investigate urban renewal opportunities that have the potential to lead to improvements along the three corridor sections being proposed for bus priority or light rail.	S	L

Mode	Whole of LGA Actions	Investigation / Feasibility	Project Implementation
Public Transport	1C.12 – Investigate extension of heavy rail or Metro through eastern suburbs from Martin Place to Bondi Junction with additional connections at Bondi Beach, Randwick, Green Square / Airport.	S	L
Service Vehicles	1D.1 – Audit and identify all kerbside allocation for service vehicles and rationalise spaces where possible.	M	M
	1D.2 – Investigate source of users (i.e. taxi, Uber) and locate ranks for taxi and car share in the most convenient locations at appropriate times.	M	M
Private Vehicles	1E.1 – Continue to constrain the growth in private vehicles by capping the supply of parking in Bondi Junction and Bondi Beach in tandem with improvements to other modes.	N/A	M/L
	1E.2 – Research how disruptive technologies, autonomous vehicles and increasing vehicle-sharing will change traffic and parking needs in Waverley.	S	L
	1E.3 - Review existing one-way streets, cul-de-sacs, slip lanes, etc. to identify where changes will improve permeability and thereby reduce traffic conflicts.	S	S
	1E.4 – Develop a logical functional road hierarchy in accordance with Austroads Guide to Road Design Part 2 – Table 2.3: Urban road functional classification and access management strategy also considering where other transport modes need priority.	S	M
	1E.5 - Identify and map congestion pinch points and areas of safety concern. Lead investigations and partner with RMS to undertake improvements as part of critical pinch point investigations and infrastructure planning.	M	L
	1E.6 - Remove or realign intersection approaches to ensure no more than four approaches to every intersection in Waverley to better prioritise available green time to key movements and for pedestrian safety.	M	L
Off-Street Car Parking	1F.1 – Audit off-street car parking availability and policies to determine where there are underutilised parking bays; and how these can be better used (e.g. leasing, storage, car share).	S	M
	1F.2 – Encourage new car parking to be convertible to other purposes in the future (e.g. self-storage, bike parking, share cars).	N/A	L
	1F.3 - Continue policies that limit off-street parking in new developments (through DCPs) and further restrain the availability of on-street parking permits in locations where alternative travel modes are feasible.	N/A	S
	1F.4 – Modify planning policies to disconnect the provision of car parking from apartment purchases in new developments so that those who don't need a car space do not have to pay for one.	N/A	S
	1F.5 – Support and encourage the installation of electric vehicle (car and bicycle) charging points, particularly in areas of medium-high density residential and commercial development and/or shared vehicles.	S	M
On-Street Car Parking	1G.1 – Introduce/extend on-street pay parking and permits in areas of high demand to ensure turnover of parking.	N/A	S
	1G.2 – Investigate how to re-direct pay-parking income directly back to the local community in which it is charged.	S	M

Mode	Whole of LGA Actions	Investigation / Feasibility	Project Implementation
On-Street Car Parking	1G.3 - Restrict the availability of beach and residential parking permits for more than one vehicle, consider methods to introduce "market price" for beach parking permits. Continue to provide limited concessions where appropriate (on-duty beach patrol officers, carers, pensioners, electric cars).	S	S
	1G.4 – Actively encourage the number and availability of parking for share cars throughout the LGA to achieve an 10% increase in car share spaces per annum.	S	S
	1G.5 – Investigate "next generation" sharing schemes for cars/ motorbikes/ electric bikes etc. and how Council can accelerate innovation and change.	S/M	L
	1G.6 – Roll-out public charging infrastructure for electric vehicles (EVs), starting in high profile public locations.	M	M/L



## 8.4 CENTRE-SPECIFIC ACTIONS

Table 8.3: Detailed Actions Implementation Timing

Zone	Action	Investigation/ Feasibility	Project Implementation
Bondi Junction	2A.1 – Undertake land ownership heritage and other issues to identify strategic opportunities for planning agreements and/or purchase/lease areas for new routes to improve connectivity wherever possible.	S	L
	2A.2 – Reduce road speeds throughout Bondi Junction – e.g. maximum 30km/hr and consider “shared space” (10km/hr) at key points (e.g. Waverley Street).	M	L
	2A.3 – Ensure pedestrian crossing points on all sides of all intersections.	S	M
	2A.4 – Investigate increasing pedestrian crossing phase times at the most pedestrianised intersections, as well as the potential for scramble crossings.	S	M
	2A.5 – Undertake “Walkability Audit” of pedestrian access points to Bondi Junction (outside of Complete Streets area) to assess footpath quality and width, pedestrian routes, difficult or dangerous intersections, conflicts with driveways and loading docks and in areas of high pedestrian activity. Prepare action plan (PAMP) accordingly. (Signature Project 4).	S	S/M
	2A.6 – Ensure all footpath and road works undertaken by Council are aimed at improving pedestrian access and amenity – e.g. widen footpath, crossovers where they are able to be easily incorporated into projects. See also A1.5.	S	S
	2A.7 – Use landscape treatments (e.g. paving, bollards, no kerbs, vegetation) to clearly indicate streets with pedestrian or cycle priority to discourage through traffic and speeding.	S	M
	2B.1 – Undertake a “Rideability Audit” for cycle access quality, access to key locations (e.g. Schools, bus stops, shops), problem intersections. Audit would focus on areas surrounding cycle routes outlined in the Waverley Bike Plan and new potential links.	S	M
	2B.2 – Undertake GIS study of topography and land ownership to identify strategic opportunities for planning agreements and/or purchase/lease areas for new routes to improve connectivity wherever possible.	S	L
	2B.3 – Provide separated cycleways along routes of high demand, in particular the six priority routes outlined within the Waverley Bike Plan 2013. (Signature Project 11)	S	L
	2B.4 – Provide signage along key pedestrian and cycle routes, especially way finding to Bondi Junction Interchange. Signage provision should be in line with the Waverley Bike Plan 2013.	S	M
	2B.5 – Ensure all footpath and road works undertaken by Council are aimed at improving cycle access and amenity – e.g. off-road paths, crossovers. See also A1.5.	N/A	S
	2B.6 – Construct Oxford Street and Spring Street cycleway through Bondi Junction.	S	S
	2B.7 – Install better bicycle access to Bondi Junction Interchange and aim for a substantial increase in secure bicycle parking facilities commensurate with potential demand.	S	M
	2C.1 – Review pedestrian access to bus stops especially for people with impaired mobility and prams, to maximise catchment and accessibility of bus stops whilst maintaining/improving efficiency and reliability of bus services.	N/A	M

Zone	Action	Investigation/ Feasibility	Project Implementation
Bondi Junction	2C.2 – Investigate improvements to public transport accessibility information provided in the area for infrequent visitors from various cultures including signage, wayfinding and real time transport information.	S	M
	2C.3 – Lead investigations and partner with TfNSW to plan an overhaul of Bondi Junction interchange and the bus layover station on Oxford Street including approaches and pedestrian interfaces. ( <a href="#">Signature Project 1</a> ). Aim to ensure maximum pedestrian accessibility, customer convenience and operation of bus services (in partnership with TfNSW, Sydney Buses and RMS).	S	L
	2C.4 – Improve the kiss+ride facilities at Bondi Junction.	S	M/L
	2C.5 – Investigate bus priority options along all approaches to Bondi Junction Station, including Old South Head Road, Bronte Road and Oxford Street.	S	M/L
	2D.1 – Continue negotiating with RMS regarding on and off ramps off Syd Einfeld Drive at Newland Street providing direct access to Bondi Junction for bus routes and/or general traffic ( <a href="#">Signature Project 8</a> ). The intersections at each of Syd Einfeld Drive should be reconfigured (i.e. at the intersection with Old South Head Road and at the intersection with York/Ocean/Oxford Street). The pedestrian overpass over Syd Einfeld should also be improved.	S	M
	2D.2 – Investigate and implement measures that better align with an urban arterial road environment such as traffic speeds, lane and shoulder widths, verge areas, etc. in coordination with Complete Streets.	S/M	M
	2D.3 – Investigate and implement strategies/methods of encouraging traffic to avoid the Bondi Junction centre. For example, re-route traffic by signing and providing turn priority of Ebley Street and Denison Street instead of at Newland Street and reviewing Bronte Road/Birrell Street usage. ( <a href="#">Signature Project 8</a> ).	S	M
	2E.1 – Investigate and identify opportunities for right-turn and U-turn implementation for vehicles exiting Car Parks within the centre. ( <a href="#">Signature Project 8</a> )	S	M
	2E.2 – Investigate a dynamic car parking guidance scheme. This may include “app” based and/or variable message sign methods (in conjunction with <a href="#">Signature Project 7</a> ).	S	L
	2E.3 – Reinstate DCP ‘zero minimum’ and capped maximum car parking rates for new developments.	S	L
Bondi Beach	2F.1 – Develop a parking hierarchy for on-street parking space in Bondi Junction and audit existing parking types against the hierarchy.	M	M
	3A.1 – Ensure pedestrian crossing points on all sides of all intersections on Campbell Parade.	N/A	S
	3A.2 – Widen footpaths along Campbell Parade and directly adjacent streets, including median widening on Campbell Parade. Completed in conjunction with Action 3A.4 and Action 3A.7. Provide shade treatments including tree planting.	S	M/L
	3A.3 – Convert Gould Street to a pedestrian priority zone, continuing existing pedestrian links and as a sheltered connection to Hall Street.	S	M
	3A.4 – Implement a Campbell Parade “Traffic Calming and Pedestrianisation” scheme ( <a href="#">Signature Project 9</a> ):		
	<ul style="list-style-type: none"> <li>Reduce Campbell Parade to 1 lane in each direction for general traffic, plus 1 lane for bus priority and a separated cycleway;</li> <li>Increase pedestrian connectivity by removing the Campbell Parade pedestrian fence, widening the median and installing raised crossing points; and</li> <li>Provide more allocated bus and taxi zones along Campbell Parade using the space created.</li> </ul>	M	M/L

Zone	Action	Investigation/ Feasibility	Project Implementation
Bondi Beach	3A.5 – Use landscape treatments (e.g. paving, bollards, no kerbs, vegetation) to clearly indicate streets with pedestrian or cycle priority to discourage through traffic and speeding.	S	M
	3A.6 – Reduce road speeds throughout the Bondi Beach area.	S	M
	3A.7 – Investigate removal of the Campbell Parade southern roundabout and implementing a signalised intersection in its place (with U-turn provisions in a wide central median). (Signature Project 9)	S	M
	3A.8 – Improve pedestrian access along the Coast Walk including wider footpaths along Notts Avenue (as per Bondi Park, Beach and Pavilion Plan of Management).	S	M
	3B.1 – Provide separated cycleways along routes of high demand (e.g. Campbell Parade) and to key locations nearby (e.g. Rose Bay wharf, Bondi Junction, coastal ride).	S	L
	3B.2 – Undertake a detailed study on the potential of an e-bike share scheme anchored in Bondi Beach. (Signature Project 6)	S/M	M
	3B.3 - Provide bicycle parking facilities in Hall Street, along Campbell Parade and adjacent to the beach.	S	M
	3C.1 – Lead investigations and partner with TfNSW to improve bus priority lanes and review bus stop locations including Campbell Parade bus operations and the bus terminus at North Bondi.	S	M
	3C.2 – Provide shading at Campbell Parade bus stops.	S	M
	3C.3 – Provide public transport way finding signage throughout Bondi Beach and real time information at bus stops.	S	M
	3C.4 - Allocate tourist bus stops away from public bus stops.	S	M
	3C.5 – Investigate potential routes for a more direct public transport connection between Rose Bay Wharf and Bondi Beach. Connections could be made as part of redevelopment or within the existing network.	M	L
	3C.6 – Review location and operations of North Bondi bus terminus.	M	M
	3D.1 – Investigate the most appropriate locations for north-south links for private vehicles and bicycles/pedestrians within the Bondi Beach Basin establish planning requirements as part of any redevelopment (possibly as laneways).	S	L
	3D.2 – Identify strategic opportunities to reduce circulating traffic (e.g. searching for parking).	S	L
	3E.1 – Investigate the potential for alternative off-street car parking stations and to remove the Queen Elizabeth Drive/Campbell Parade parking on the beach. (Signature Project 9).	M	L
	3E.2 – Provide “real time information” on the availability and location of car parking (similar to Westfield) including online so that potential visitors can better plan their trip to Bondi Beach or seek alternatives (such as public transport, cycling, bike-sharing or walking).	S	L



Zone	Action	Investigation/ Feasibility	Project Implementation
Bondi Beach	3F.1 – Undertake a feasibility study for a variable priced on-demand parking scheme with parking availability guidance information as part of the scheme. (Signature Project 7).	S	L
	3F.2 - Install electric vehicle charging at high profile locations (e.g. Bondi beachfront).	M	M
	3F.3 - Review beach parking permit schemes (see also 1G.3).	S	M
Bondi Road Corridor	4A.1 – Improve east-west and north-south pedestrian access along and across Bondi Road, for example by widening footpaths, and reviewing pedestrian crossings and signalised intersections. Where smaller streets meet Bondi Road, install raised pedestrian crossings.	S	M
	4A.2 – Remove left-turn slip lane at the intersection of Denham Street and Bondi Road. Replace with outdoor seating, vegetation, shade and upgraded bus stop.	S	M
	4B.1 – Investigate new cycle path development opportunities either side of Bondi Road (including potentially through private property/development sites as redevelopment occurs). Done in conjunction with Actions 4E and 4F.	S	L
	4B.2 – Investigate installing a separated cycle lane along Bondi Road (e.g. 1-way uphill only, 1-way both directions or bi-directional).	S	M
	4B.3 – Identify locations of bicycle parking and maintenance facilities along Bondi Road at the front and (potentially with redevelopment) to the rear of shops.	S	L
	4C.1 – Continue investigations in partnership with TfNSW of alternative high-capacity public transport between Bondi Junction and Bondi Beach, such as a light rail connection or bus priority measures. (Signature Project 2).	S	L
	4C.2 – Investigate the implementation of a dedicated bus transit lane as part of a Dynamic Lane Management system along Bondi Road. Where Intelligent Transport Systems (ITS) are used to create “peak traffic direction” bus transit lane as a third lane during peak traffic times. The Bondi Road Corridor Transport Strategy (Parsons Brinckerhoff - 2016) provides some initial detail on the benefits and issues surrounding this strategy.	S	S
	4C.3 – Investigate the consolidation of bus stops along the Bondi Road Corridor.	S	S
	4D.1 – Investigate opportunities for north-south route realignments at intersections, e.g. include intersection realignment with redevelopment along Bondi Road at key intersection locations. Alternatively, change the operations of signalised intersections to better manage safety and flow of traffic, buses and pedestrians, taking into consideration the whole network of streets around Bondi Road.	M	L
	4D.2 – Extend “No Stopping” times to 7am – 10am and 4pm – 7pm weekdays, and introduce 10am – 2pm “No Stopping” on weekends in summer.	S	M
	4D.3 - Investigate opportunities to install additional or revised signalised intersections along the Bondi Road corridor and model their impacts and benefits with the preferred light rail or bus priority scheme.	S	L
	4E.1 – Encourage car parking space that can be converted to other purposes (e.g. self-storage, bike parking) and share car spaces in the future.	M	L
	4E.2 - Consider shared off-street parking facilities (potentially as car stackers) at the interface of the retail and residential areas along Bondi Road as redevelopment occurs. Associated with the development of a rear laneway strategy (Action 4F.1).	M	L

Zone	Action	Investigation/ Feasibility	Project Implementation
Bondi Road Corridor	4F.1 – Investigate the conceptual corridor redevelopment layout (i.e. rear laneway strategy in the Bondi Road Corridor - <b>Signature Project 3</b> ) on either side of the Bondi Road corridor.	M	L
	4F.2 – Extend timed parking restrictions throughout the whole area near the Bondi Road corridor (may require extension of residential parking permit schemes or similar).	M	L
	5A.1 – Ensure pedestrian crossing points are provided on all sides of all signalised intersections.	N/A	S
Cross Charing	5B.1 – Provide information and promote walking and cycling to School	S	S
	5B.2 – Investigate improved connections and routes for cycling and walking to Schools, including with any new development opportunities.	S	L
	5C.1 – Implement more Public and Active Transport priority infrastructure through Charing Cross. ( <b>Signature Project 10</b> )	S	L
	5D.1 – Review overall traffic effect of one-way and two-way streets and right turns and consider reconfiguration.	S	M
	5D.2 – Investigate priority through routes for traffic that do not conflict with local activity centre functions, i.e. along Carrington Road as the regional arterial connection to Syd Einfeld Drive.	M	M
	5D.3 – Discourage excessive through traffic along Bronte Road through the shopping strip through speed calming measures.	M	L
	5D.4 – Investigate layout improvements at the Carrington Road/Bronte Road intersection to reduce the number of signal phases required and provide some bus priority.	S	M
	5E.1 – Review on-street and off-street parking provision and pricing.	N/A	S
	5F.1 – Investigate managed pick-up procedures (such as queue management areas and call-up procedures, possibly assisted by technology) at Schools. ( <b>Signature Project 12</b> )	M	M/L
	5F.2 – Facilitate a Schools traffic working group to develop other strategies such as staggered times, shuttle buses, remote parking, “walking bus” programs etc.	M	L
	2A.1 – Undertake land ownership heritage and other issues to identify strategic opportunities for planning agreements and/or purchase/lease areas for new routes to improve connectivity wherever possible.	S	L

## 8.5 WHERE TO FROM HERE

This strategy is intended to provide a “blueprint” for Waverley Council to initiate more detailed design and feasibility studies and to initiate works to provide more effective transport choice to its residents, employees and visitors. It is recommended that the action plans provided in this report be monitored, reported against annually and updated every three years, to ensure that initiatives remain relevant in a rapidly evolving transport system.

The steps expected to be undertaken following this draft report include:

- finalisation of the draft strategy report;
- report approved by Council for further consultation;
- conduct consultation on the report actions and strategies with the community;
- collate comments from all stakeholders and formalise a final report; and
- the final report is endorsed by Council.



## 9. KEY PRIORITIES

### 9.1 SIGNATURE PROJECTS

The Top 4 signature projects that represent new policy that is expected to have a high benefit to the local community are presented in Table 9.1.

Table 9.1: Key Signature Projects

Signature Project		Initial Recommended Task
1	Bondi Junction Transport Interchange	<ul style="list-style-type: none"> <li>Undertake a detailed master plan including cost estimates for the redevelopment of the Bondi Junction rail/bus interchange</li> <li>Investigate integrating improvements with existing and planned Bondi Junction works</li> </ul>
2 & 3	Bondi Road Corridor Public Transport Priority, and Bondi Road Corridor – Laneway, Land Use and Parking Strategy	<ul style="list-style-type: none"> <li>Develop a concept plan for long term bus priority measures including land requirements as redevelopment occurs</li> <li>Develop a concept plan of short term bus priority measures that don't require land but are consistent with the long term concept</li> <li>Further assessment and design to create a long term land use-transport corridor master plan and incorporate into local development control instruments</li> </ul>
6 & 11	Cycling Superhighways and Bicycle Share Scheme with "E-Bikes"	<ul style="list-style-type: none"> <li>Undertake a market sounding project and then develop a business case for an E-bike scheme (Bondi Beach to Bondi Junction)</li> </ul>
7	Dynamic Parking Management System	<ul style="list-style-type: none"> <li>Undertake a market sounding project and then a business case for a dynamic parking management scheme for Bondi Beach.</li> </ul>

### 9.2 SUMMARY OF SHORT TERM ACTIONS

The actions and strategies in Table 8.2 and Table 8.3 have been combined to summarise the key Short Term actions from this Strategy Report. Each priority project:

- will have a positive impact on Waverley's Transport network;
- has the ability to be started within the short term; and
- provides high value for money.

The priority projects outlined in Table 9.2 summarise actions to be undertaken within the next 1-2 years and have been chosen to encompass improvements across all travel modes and areas in Waverley.

Table 9.2: Key Short Term Actions Summary

MODE	Action/s	Value to Network
WALKING	<p><u>Reduction in Road Speeds Across Waverley's Highly Pedestrianised Areas</u></p> <p>1A.7 – Review and reduce road speed limits throughout the LGA (e.g. max 30/40km/h).</p> <p>2A.2 – Reduce road speeds throughout Bondi Junction – e.g. maximum 30km/hr and consider “shared space” (10km/hr) at key points (e.g. Waverley Street).</p> <p>2A.5 – Undertake “Walkability Audit” of pedestrian access points to Bondi Junction (outside of Complete Streets area) to assess footpath quality and width, pedestrian routes, difficult or dangerous intersections, conflicts with driveways and loading docks and in areas of high pedestrian activity. Prepare action plan (PAMP) accordingly. (Signature Project 4).</p> <p>3A.6 – Reduce road speeds throughout the Bondi Beach area.</p>	<ul style="list-style-type: none"> <li>increased pedestrian safety;</li> <li>encourage pedestrian activity;</li> <li>better activate commercial areas;</li> <li>reduce modal conflicts</li> </ul>
	<p><u>Campbell Parade Strategy and Scheme – Bondi Beach</u></p> <p>3A.2 – Widen footpaths along Campbell Parade and directly adjacent streets, including median widening on Campbell Parade. Completed in conjunction with Action 3A.4 and Action 3A.7. Provide shade treatments including tree planting.</p> <p>3A.4 – Implement a Campbell Parade “Traffic Calming and Pedestrianisation” scheme (Signature Project 9):</p> <ul style="list-style-type: none"> <li>Reduce Campbell Parade to 1 lane in each direction for general traffic, plus 1 lane for bus priority and a separated cycleway;</li> <li>Increase pedestrian connectivity by removing the Campbell Parade pedestrian fence, widening the median and installing raised crossing points; and</li> <li>Provide more allocated bus and taxi zones along Campbell Parade using the space created."</li> </ul> <p>3A.5 – Use landscape treatments (e.g. paving, bollards, no kerbs, vegetation) to clearly indicate streets with pedestrian or cycle priority to discourage through traffic and speeding.</p> <p>3A.7 – Investigate removal of the Campbell Parade southern roundabout and the implement a signalised intersection in its place (with U-turn provisions in a wide central median). (Signature Project 9)</p>	<ul style="list-style-type: none"> <li>increased pedestrian safety in Bondi Beach;</li> <li>encourage highly level of pedestrian activity;</li> <li>better activate commercial area of Bondi Beach;</li> <li>reduce modal conflicts;</li> <li>increase public transport accessibility.</li> </ul>
CYCLE	<p><u>Priority Cycle Routes and Missing Connections</u></p> <p>1B.5 - Ensure all footpath and road works undertaken by Council improve bicycle rider access and amenity. See also 1A.6.</p> <p>1B.6 – Identify and investigate areas that require better pedestrian and cycle permeability and investigate possibilities for new links.</p> <p>1B.8 - Investigate potential bike-share scheme with electric-assist bicycles; and improved bike parking. (Signature Project 6).</p> <p>2B.1 – Undertake a “Rideability Audit” for cycle access quality, access to key locations (e.g. Schools, bus stops, shops), problem intersections. Audit would focus on areas surrounding cycle routes outlined in the Waverley Bike Plan and new potential links.</p> <p>2B.3 – Provide separated cycleways along routes of high demand, in particular the six priority routes outlined within the Waverley Bike Plan 2013. (Signature Project 11)</p> <p>3B.1 – Provide separated cycleways along routes of high demand (e.g. Campbell Parade) and to key locations nearby (e.g. Rose Bay wharf, Bondi Junction, coastal ride).</p>	<ul style="list-style-type: none"> <li>improved cycle network and safety;</li> <li>encourage larger cycling mode share;</li> <li>expands upon aims of existing Bike Plan;</li> <li>reduce modal conflicts and improve traffic flow.</li> </ul>

MODE	Action/s	Value to Network
CYCLE	<p><u>Cycling to School – Charing Cross Area</u></p> <p>5B.1 – Provide information and promote walking and cycling to School</p> <p>5B.2 – Investigate improved connections and routes for cycling and walking to Schools, including with any new development opportunities.</p>	<ul style="list-style-type: none"> <li>improved cycle safety around schools in Charing Cross;</li> <li>encourage larger cycling mode share to school reduces traffic levels;</li> <li>expands upon aims of existing Bike Plan.</li> </ul>
PUBLIC TRANSPORT	<p><u>Charing Cross Strategy</u></p> <p>1C.10 - Develop Bronte Road Bus Priority Scheme and improve pedestrian access to major bus stops (e.g. St Catherine's School. (Signature Project 5)</p> <p>5C.1 – Implement more Public and Active Transport priority infrastructure through Charing Cross. (Signature Project 10)</p> <p>5D.1 – Review overall traffic effect of one-way and two-way streets and right turns and consider reconfiguration.</p> <p>5D.4 – Investigate layout improvements at the Carrington Road/Bronte Road intersection to reduce the number of signal phases required and provide some bus priority.</p>	<ul style="list-style-type: none"> <li>traffic calming through Charing Cross promotes the area as a key centre, and provides an alternative destination for local recreational/shopping trips;</li> <li>improved public transport facilities and accessibility through Charing Cross;</li> <li>improved mode separation through the area.</li> </ul>
	<p><u>Waverley Bus Priority Route Concept Plans</u></p> <p>1C.6 - Lead investigations and partner with TfNSW to design and construct bus priority lanes.</p> <p>2C.5 – Investigate bus priority options along all approaches to Bondi Junction Station, including Old South Head Road, Bronte Road and Oxford Street.</p> <p>3C.1 – Lead investigations and partner with TfNSW to improve bus priority lanes and review bus stop locations including Campbell Parade bus operations and the bus terminus at North Bondi.</p> <p>4C.1 – Continue investigations in partnership with TfNSW of alternative high-capacity public transport between Bondi Junction and Bondi Beach, such as a light rail connection or bus priority measures. (Signature Project 2).</p> <p>4C.2 – Investigate the implementation of a dedicated bus transit lane as part of a Dynamic Lane Management system along Bondi Road. Where Intelligent Transport Systems (ITS) are used to create “peak traffic direction” bus transit lane as a third lane during peak traffic times. The Bondi Road Corridor Transport Strategy (Parsons Brinckerhoff - 2016) provides some initial detail on the benefits and issues surrounding this strategy.</p>	<ul style="list-style-type: none"> <li>improved public transport connections between major nodes in Waverley;</li> <li>increase public transport mode share due to reduced travel times.</li> </ul>
PRIVATE VEHICLES	<p><u>Road Hierarchy and Alternative Bondi Junction Traffic Routes</u></p> <p>1E.4 – Develop a logical functional road hierarchy in accordance with Austroads Guide to Road Design Part 2 – Table 2.3: Urban road functional classification and access management strategy also considering where other transport modes need priority. Investigate “Smart Roads” tool with TfNSW.</p> <p>2D.3 – Investigate and implement strategies/methods of encouraging traffic to avoid the Bondi Junction centre. For example, re-route traffic by signing and providing turn priority of Ebley Street and Denison Street instead of at Newland Street and reviewing Bronte Road/Birrell Street usage. (Signature Project 8).</p> <p>2D.4 – Ensure alternative routes are clearly understood, to encourage use by through traffic away from centre, and supported by future access management measures.</p>	<ul style="list-style-type: none"> <li>improved flow of vehicles around congested centres;</li> <li>more efficient and informative road network;</li> <li>presents potential for various public transport, walking and cycling improvements to/from centres;</li> <li>reduce traffic levels in centres.</li> </ul>



MODE	Action/s	Value to Network
PRIVATE VEHICLES	<p><u>Congestion Mitigation Measures</u></p> <p>4D.2 – Extend “No Stopping” times to 7am – 10am and 4pm – 7pm weekdays, and introduce 10am – 2pm “No Stopping” on weekends in summer.</p> <p>5D.4 – Investigate layout improvements at the Carrington Road/Bronte Road intersection to reduce the number of signal phases required and provide some bus priority.</p>	<ul style="list-style-type: none"> <li>improved network flow, small improvements can provide high value for money at critical congestion points;</li> <li>improved flow along Bondi Road in peak periods;</li> <li>calming congestion begins to align Charing Cross with a ‘centre’ environment, creating viable alternative for locals.</li> </ul>
PARKING	<p><u>Bondi Parking Permits</u></p> <p>1G.1 – Introduce/extend on-street pay parking in areas of high demand to ensure turnover of parking.</p> <p>1G.3 - Restrict the availability of beach and residential parking permits for more than one vehicle, consider methods to introduce “market price” for beach parking permits. Continue to provide limited concessions where appropriate (on-duty beach patrol officers, carers, pensioners, electric cars).</p>	<ul style="list-style-type: none"> <li>increase parking availability in centre areas;</li> <li>encourage higher walking and cycling mode share.</li> </ul>
	<p><u>Parking Guidance Scheme – Bondi Junction and Bondi Beach</u></p> <p>2E.2 – Investigate a dynamic car parking guidance scheme. This may include “app” based and/or variable message sign methods (in conjunction with Signature Project 7).</p> <p>3E.2 – Provide “real time information” on the availability and location of car parking (similar to Westfield) including online so that potential visitors can better plan their trip to Bondi Beach or seek alternatives (such as public transport, cycling, bike-sharing or walking).</p>	<ul style="list-style-type: none"> <li>decrease level of circulating traffic (searching for parking);</li> <li>improved parking information for visitors and locals;</li> <li>mitigates congestion in central areas.</li> </ul>

